

# IAMU OQ Required Training Report

## Emmetsburg Municipal Utilities

### John Bird Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/8/2002</b>	<b>2/7/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		4/16/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/11/2002</b>	<b>2/7/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		4/16/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>2/19/2002</b>	<b>2/7/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/16/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/20/2002</b>	<b>2/7/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		4/16/2012	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>2/19/2002</b>	<b>2/7/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/16/2012	Taught By IAMU		
<b>4.7 Recognizing unsafe meter sets</b>	<b>3/11/2002</b>	<b>3/6/2008</b>	<b>2/11/2011</b>	<b>2/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		2/11/2011	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>3/11/2002</b>	<b>3/9/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/16/2012	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/12/2002</b>	<b>3/6/2008</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/16/2012	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					

### Amber Brownell Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		4/12/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		4/12/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/12/2012	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Amber Brownell Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		4/16/2012	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/12/2012	Taught By IAMU		
<b>4.7 Recognizing unsafe meter sets</b>					<b>Not Taken</b>
Original Requirement 1					
Module 211					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/16/2012	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/16/2012	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					

## Jenna Bulfer Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>5/12/2008</b>		<b>5/12/2008</b>	<b>5/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		5/12/2008	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>5/12/2008</b>		<b>5/12/2008</b>	<b>5/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		5/12/2008	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>5/12/2008</b>		<b>5/12/2008</b>	<b>5/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		5/12/2008	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>5/12/2008</b>		<b>5/12/2008</b>	<b>5/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		5/12/2008	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>5/12/2008</b>		<b>5/12/2008</b>	<b>5/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		5/12/2008	Taught By IAMU		
<b>4.7 Recognizing unsafe meter sets</b>	<b>5/12/2008</b>	<b>5/12/2008</b>	<b>7/25/2011</b>	<b>7/25/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		7/25/2011	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>6/25/2008</b>		<b>6/25/2008</b>	<b>6/25/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		6/25/2008	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					

# Emmetsburg Municipal Utilities

## Jenna Bulfer Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>6.2 Investigating leaks</b>	<b>5/12/2008</b>		<b>5/12/2008</b>	<b>5/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		5/12/2008	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					

## Brian Culver Meter Reader Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/8/2002</b>	<b>2/6/2007</b>	<b>2/2/2012</b>	<b>2/2/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		2/2/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/11/2002</b>	<b>2/6/2007</b>	<b>2/2/2012</b>	<b>2/2/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		2/2/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/2/2012</b>	<b>2/2/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/2/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/20/2002</b>	<b>2/6/2007</b>	<b>2/2/2012</b>	<b>2/2/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		2/2/2012	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/2/2012</b>	<b>2/2/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/2/2012	Taught By IAMU		
<b>4.1 Personal protective equipment</b>	<b>6/12/2002</b>	<b>3/14/2008</b>	<b>3/14/2011</b>	<b>3/14/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 111		3/14/2011	Taught By IAMU		
<b>Or</b> Hands On 4.1 Personal protective equipment					
<b>4.2 Power tool safety</b>	<b>6/13/2002</b>	<b>4/18/2008</b>	<b>4/11/2011</b>	<b>4/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 121		4/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.2 Power tool safety					
<b>4.3 Proper firefighting techniques</b>	<b>6/14/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 122		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.3 Proper firefighting techniques					
<b>4.5 Soil subsidence</b>	<b>6/19/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 201		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.5 Soil subsidence					
<b>4.6 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.6 Atmospheric corrosion					

# Emmetsburg Municipal Utilities

## Brian Culver Meter Reader Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.7 Recognizing unsafe meter sets</b>	<b>4/10/2002</b>	<b>3/3/2008</b>	<b>3/3/2011</b>	<b>3/3/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		3/3/2011	Taught By IAMU		
<b>Or</b> Hands On 4.7 Recognizing unsafe meter sets					
<b>5.1 Leak classification</b>	<b>6/24/2002</b>	<b>6/19/2007</b>	<b>2/1/2012</b>	<b>2/1/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 221		2/1/2012	Taught By IAMU		
<b>Or</b> Hands On 5.1 Leak classification					
<b>5.2 Procedures for leak surveys and patrols</b>	<b>3/24/2006</b>	<b>3/24/2006</b>	<b>3/24/2011</b>	<b>3/24/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 271		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 5.2 Procedures for leak surveys and patrols					
<b>5.3 Combustible gas indicators</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 5.3 Combustible gas indicators		3/22/2006	Taught By Emmetsburg M.U.		
<b>5.4 Electronic gas detectors</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 5.4 Electronic gas detectors		3/22/2006	Taught By Emmetsburg M.U.		
<b>5.5 Flame ionization</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 232		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 5.5 Flame ionization		3/22/2006	Taught By Emmetsburg M.U.		
<b>5.6 Bar hole testing and purging</b>	<b>3/24/2006</b>	<b>3/24/2006</b>	<b>3/21/2011</b>	<b>3/21/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 261		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 5.6 Bar hole testing and purging					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>2/1/2012</b>	<b>2/1/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		2/1/2012	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>2/1/2012</b>	<b>2/1/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		2/1/2012	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					
<b>6.3 Combustion and ventilation air requirements</b>	<b>3/24/2006</b>	<b>3/24/2006</b>	<b>3/24/2011</b>	<b>3/24/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 301		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 6.3 Combustion and ventilation air requirements					

# Emmetsburg Municipal Utilities

## Brian Culver Meter Reader Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>6.4 Pilot light operation</b>	<b>3/31/2006</b>	<b>3/30/2011</b>	<b>3/31/2011</b>	<b>3/31/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 311		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		3/31/2011	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					
<b>6.5 Gas-air adjustment</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 312		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.5 Gas-air adjustment					
<b>6.6 Appliance venting</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 313		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.6 Appliance venting					
<b>6.7 Pressure checks to establish gas service</b>	<b>3/3/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 321		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.7 Pressure checks to establish gas service		3/30/2006	Taught By Emmetsburg M.U.		
<b>6.8 Establishing and disconnecting gas</b>	<b>3/31/2006</b>	<b>3/31/2006</b>	<b>3/31/2011</b>	<b>3/31/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 322		3/31/2011	Taught By IAMU		
<b>Or</b> Hands On 6.8 Establishing and disconnecting gas					
<b>10.4 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 10.4 Atmospheric corrosion					

## Lisa Gappa Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/8/2002</b>	<b>2/7/2007</b>	<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		4/12/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/15/2002</b>	<b>2/7/2007</b>	<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		4/12/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>2/20/2002</b>	<b>2/7/2007</b>	<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/12/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/20/2002</b>	<b>2/7/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		4/16/2012	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Lisa Gappa Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>2.5 Accident reporting</b>	<b>2/20/2002</b>	<b>2/7/2007</b>	<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/12/2012	Taught By IAMU		
<b>4.7 Recognizing unsafe meter sets</b>	<b>4/10/2002</b>	<b>2/11/2008</b>	<b>2/11/2011</b>	<b>2/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		2/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.7 Recognizing unsafe meter sets					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/16/2012	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/12/2002</b>	<b>4/9/2007</b>	<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/16/2012	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					

## John Hedding Meter Reader Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/8/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		2/3/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/11/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		2/3/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/20/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		2/6/2012	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>4.1 Personal protective equipment</b>	<b>6/12/2002</b>	<b>3/14/2008</b>	<b>3/14/2011</b>	<b>3/14/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 111		3/14/2011	Taught By IAMU		
<b>Or</b> Hands On 4.1 Personal protective equipment					
<b>4.2 Power tool safety</b>	<b>6/13/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 121		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.2 Power tool safety					

# Emmetsburg Municipal Utilities

## John Hedding Meter Reader Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.3 Proper firefighting techniques</b>	<b>6/14/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 122		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.3 Proper firefighting techniques					
<b>4.5 Soil subsidence</b>	<b>6/19/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 201		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.5 Soil subsidence					
<b>4.6 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.6 Atmospheric corrosion					
<b>4.7 Recognizing unsafe meter sets</b>	<b>4/10/2002</b>	<b>2/11/2008</b>	<b>2/10/2011</b>	<b>2/10/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		2/10/2011	Taught By IAMU		
<b>Or</b> Hands On 4.7 Recognizing unsafe meter sets					
<b>5.1 Leak classification</b>	<b>6/24/2002</b>	<b>6/24/2002</b>	<b>6/19/2007</b>	<b>6/19/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 221		6/19/2007	Taught By IAMU		
<b>Or</b> Hands On 5.1 Leak classification					
<b>5.2 Procedures for leak surveys and patrols</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 271		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 5.2 Procedures for leak surveys and patrols					
<b>5.3 Combustible gas indicators</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 5.3 Combustible gas indicators		3/22/2006	Taught By Emmetsburg M.U.		
<b>5.4 Electronic gas detectors</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 5.4 Electronic gas detectors		3/22/2006	Taught By Emmetsburg M.U.		
<b>5.5 Flame ionization</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/23/2011</b>	<b>3/23/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 232		3/23/2011	Taught By IAMU		
<b>Or</b> Hands On 5.5 Flame ionization		3/22/2006	Taught By Emmetsburg M.U.		
<b>5.6 Bar hole testing and purging</b>	<b>3/23/2006</b>	<b>3/23/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 261		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 5.6 Bar hole testing and purging					

# Emmetsburg Municipal Utilities

## John Hedding Meter Reader Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>4/9/2012</b>	<b>4/9/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/9/2012	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>4/9/2012</b>	<b>4/9/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/9/2012	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					
<b>6.3 Combustion and ventilation air requirements</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>3/22/2011</b>	<b>3/22/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 301		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 6.3 Combustion and ventilation air requirements					
<b>6.4 Pilot light operation</b>	<b>3/31/2006</b>	<b>3/31/2006</b>	<b>3/31/2011</b>	<b>3/31/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 311		3/31/2011	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation		3/30/2006	Taught By Emmetsburg M.U.		
Requalification Requirement 2					
Module 324		3/31/2011	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation		3/30/2006	Taught By Emmetsburg M.U.		
<b>6.5 Gas-air adjustment</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 312		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.5 Gas-air adjustment					
<b>6.6 Appliance venting</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 313		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.6 Appliance venting					
<b>6.7 Pressure checks to establish gas service</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 321		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.7 Pressure checks to establish gas service		3/30/2006	Taught By Emmetsburg M.U.		
<b>6.8 Establishing and disconnecting gas</b>	<b>3/31/2006</b>	<b>3/31/2006</b>	<b>3/24/2011</b>	<b>3/24/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 322		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 6.8 Establishing and disconnecting gas					
<b>10.4 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 10.4 Atmospheric corrosion					

## Kim Kibbie Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
----------------	---------------	------------------	----------------	-------------	--------

# Emmetsburg Municipal Utilities

## Kim Kibbie Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		4/16/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		4/16/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/16/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		4/16/2012	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/16/2012	Taught By IAMU		
<b>4.7 Recognizing unsafe meter sets</b>					<b>Not Taken</b>
Original Requirement 1					
Module 211					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/16/2012	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/16/2012	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					

## Jill Kliegl Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		4/12/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		4/12/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/12/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		4/16/2012	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>4/12/2012</b>		<b>4/12/2012</b>	<b>4/12/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		4/12/2012	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Jill Kliegl Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.7 Recognizing unsafe meter sets</b>					<b>Not Taken</b>
Original Requirement 1					
Module 211					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/16/2012	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/16/2012</b>		<b>4/16/2012</b>	<b>4/16/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/16/2012	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					

## Bob Leuer On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/11/2010</b>		<b>2/11/2010</b>	<b>2/11/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		2/11/2010	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/11/2010</b>		<b>2/11/2010</b>	<b>2/11/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		2/11/2010	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>2/11/2010</b>		<b>2/11/2010</b>	<b>2/11/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/11/2010	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/11/2010</b>		<b>2/11/2010</b>	<b>2/11/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		2/11/2010	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>2/11/2010</b>		<b>2/11/2010</b>	<b>2/11/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/11/2010	Taught By IAMU		
<b>3.1 Locating facilities using the conductive method</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 3.1 Locating facilities using the conductive method		4/7/2010	Taught By IAMU		
<b>3.3 Locating facilities using the inductive method (two persons)</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 3.3 Locating facilities using the inductive method (two persons)		4/7/2010	Taught By IAMU		
<b>3.4 Determining depth through triangulation</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 3.4 Determining depth through triangulation		4/7/2010	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Bob Leuer On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>3.5 System mapping</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 3.5 System mapping					
<b>4.1 Personal protective equipment</b>					<b>Not Taken</b>
Original Requirement 1					
Module 111					
<b>4.10 Purging safety</b>					<b>Not Taken</b>
Original Requirement 1					
Module 422					
<b>4.11 Pressure testing steel and plastic pipeline</b>					<b>Not Taken</b>
Original Requirement 1					
Module 421					
<b>4.12 Abandoning facilities</b>					<b>Not Taken</b>
Original Requirement 1					
Module 471					
<b>4.13 Excavation safety</b>					<b>Not Taken</b>
Original Requirement 1					
Module 404					
<b>4.2 Power tool safety</b>					<b>Not Taken</b>
Original Requirement 1					
Module 121					
<b>4.3 Proper firefighting techniques</b>					<b>Not Taken</b>
Original Requirement 1					
Module 122					
<b>4.4 Controlling the accidental release of gas</b>					<b>Not Taken</b>
Original Requirement 1					
Module 131					
<b>4.5 Soil subsidence</b>	<b>2/12/2010</b>		<b>2/12/2010</b>	<b>2/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 201		2/12/2010	Taught By IAMU		
<b>Or</b> Hands On 4.5 Soil subsidence					
<b>4.6 Atmospheric corrosion</b>	<b>2/12/2010</b>		<b>2/12/2010</b>	<b>2/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		2/12/2010	Taught By IAMU		
<b>Or</b> Hands On 4.6 Atmospheric corrosion					
<b>4.7 Recognizing unsafe meter sets</b>					<b>Not Taken</b>
Original Requirement 1					
Module 211					
<b>4.8 Confined space entry (vaults, etc.)</b>					<b>Not Taken</b>
Original Requirement 1					
Module 501					

# Emmetsburg Municipal Utilities

## Bob Leuer On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.9 Job site protection</b>					<b>Not Taken</b>
Original Requirement 1					
Module 401					
<b>5.1 Leak classification</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 221		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.1 Leak classification		4/7/2010	Taught By IAMU		
<b>5.3 Combustible gas indicators</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.3 Combustible gas indicators		4/7/2010	Taught By IAMU		
<b>5.4 Electronic gas detectors</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.4 Electronic gas detectors		4/7/2010	Taught By IAMU		
<b>5.5 Flame ionization</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 232		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.5 Flame ionization		4/7/2010	Taught By IAMU		
<b>5.6 Bar hole testing and purging</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 261		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.6 Bar hole testing and purging					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing		4/7/2010	Taught By IAMU		
<b>6.2 Investigating leaks</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					
<b>6.3 Combustion and ventilation air requirements</b>	<b>3/24/2010</b>		<b>3/24/2010</b>	<b>3/24/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 301		3/24/2010	Taught By IAMU		
<b>Or</b> Hands On 6.3 Combustion and ventilation air requirements					
<b>6.4 Pilot light operation</b>	<b>3/24/2010</b>		<b>3/24/2010</b>	<b>3/24/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 311		3/24/2010	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		3/12/2010	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					

# Emmetsburg Municipal Utilities

## Bob Leuer On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>6.5 Gas-air adjustment</b>	<b>3/24/2010</b>		<b>3/24/2010</b>	<b>3/24/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 312		3/24/2010	Taught By IAMU		
<b>Or</b> Hands On 6.5 Gas-air adjustment					
<b>6.6 Appliance venting</b>	<b>3/12/2010</b>		<b>3/12/2010</b>	<b>3/12/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 313		3/12/2010	Taught By IAMU		
<b>Or</b> Hands On 6.6 Appliance venting					
<b>6.7 Pressure checks to establish gas service</b>	<b>3/12/2010</b>		<b>3/12/2010</b>	<b>3/12/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 321		3/12/2010	Taught By IAMU		
<b>Or</b> Hands On 6.7 Pressure checks to establish gas service					
<b>6.8 Establishing and disconnecting gas</b>	<b>3/12/2010</b>		<b>3/12/2010</b>	<b>3/12/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 322		3/12/2010	Taught By IAMU		
<b>Or</b> Hands On 6.8 Establishing and disconnecting gas					
<b>7.10 Reinforcing steel and plastic mains</b>					<b>Not Taken</b>
Original Requirement 1					
Module 463					
<b>7.11 Plastic pipe joining (fusion)</b>					<b>Not Taken</b>
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
<b>7.12 Plastic pipe joining (mechanical couplings)</b>					<b>Not Taken</b>
Original Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)					
<b>7.13 Recognition of defective material</b>					<b>Not Taken</b>
Original Requirement 1					
Module 411					
Original Requirement 2					
Module 412					
Original Requirement 3					
Module 421					
<b>7.15 Steel pipe joining by mechanical couplings</b>					<b>Not Taken</b>
Original Requirement 1					
Module 412					
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					

# Emmetsburg Municipal Utilities

## Bob Leuer On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.18 Replacing emergency valves</b>					<b>Not Taken</b>
Original Requirement 1					
Module 441					
Original Requirement 2					
Module 511					
<b>Or</b> Hands On 12.3 Inspecting and maintaining key valves					
<b>7.19 Installing meter sets</b>					<b>Not Taken</b>
Original Requirement 1					
Module 211					
Original Requirement 2					
Module 322		3/12/2010	Taught By IAMU		
Original Requirement 3					
Module 452					
<b>7.20 Tapping and stopping steel pipe 1" through 4"</b>					<b>Not Taken</b>
Original Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"					
<b>7.21 Tapping and stopping steel pipe 6" through 8"</b>					<b>Not Taken</b>
Original Requirement 1					
Hands On 7.21 Tapping and stopping steel pipe 6" through 8"					
<b>7.23 Vault abandonment</b>					<b>Not Taken</b>
Original Requirement 1					
Module 471					
Original Requirement 2					
Module 501					
<b>7.6 Installing tracer wire</b>					<b>Not Taken</b>
Original Requirement 1					
Module 451					
Original Requirement 2					
Module 452					
<b>7.8 Steel and cast iron repair fittings</b>					<b>Not Taken</b>
Original Requirement 1					
Module 461					
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
<b>8.4 Ditch and backfill inspection</b>					<b>Not Taken</b>
Original Requirement 1					
Module 404					
<b>10.4 Atmospheric corrosion</b>	<b>2/12/2010</b>		<b>2/12/2010</b>	<b>2/12/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		2/12/2010	Taught By IAMU		
<b>Or</b> Hands On 10.4 Atmospheric corrosion					

# Emmetsburg Municipal Utilities

## Bob Leuer On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>10.7 Painting and jacketing above ground facilities</b>					<b>Not Taken</b>
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
<b>12.1 Operating valves (including emergency valves), regulators, and</b>					<b>Not Taken</b>
Original Requirement 1					
Module 244					
Original Requirement 2					
Module 511					
Original Requirement 3					
Module 512					
<b>12.2 Inspecting pressure regulating and limiting stations</b>					<b>Not Taken</b>
Original Requirement 1					
Module 512					
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
<b>12.3 Inspecting and maintaining key valves</b>					<b>Not Taken</b>
Original Requirement 1					
Module 511					
Or Hands On 12.3 Inspecting and maintaining key valves					

## Jeff Morey On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/8/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		2/3/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/11/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		2/3/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/20/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		2/6/2012	Taught By IAMU		
<b>2.5 Accident reporting</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>3.1 Locating facilities using the conductive method</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
Or Hands On 3.1 Locating facilities using the conductive method		4/7/2010	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Jeff Morey On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>3.3 Locating facilities using the inductive method (two persons)</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 3.3 Locating facilities using the inductive method (two persons)		4/7/2010	Taught By IAMU		
<b>3.4 Determining depth through triangulation</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 3.4 Determining depth through triangulation		4/7/2010	Taught By IAMU		
<b>3.5 System mapping</b>	<b>4/7/2010</b>		<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 3.5 System mapping					
<b>4.1 Personal protective equipment</b>	<b>6/12/2002</b>	<b>3/14/2008</b>	<b>3/14/2011</b>	<b>3/14/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 111		3/14/2011	Taught By IAMU		
<b>Or</b> Hands On 4.1 Personal protective equipment					
<b>4.10 Purging safety</b>					<b>Not Taken</b>
Original Requirement 1					
Module 422					
<b>4.11 Pressure testing steel and plastic pipeline</b>					<b>Not Taken</b>
Original Requirement 1					
Module 421					
<b>4.12 Abandoning facilities</b>					<b>Not Taken</b>
Original Requirement 1					
Module 471					
<b>4.13 Excavation safety</b>	<b>3/23/2005</b>	<b>3/27/2011</b>	<b>3/26/2012</b>	<b>3/26/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 404		3/26/2012	Taught By IAMU		
<b>Or</b> Hands On 4.13 Excavation safety					
<b>4.2 Power tool safety</b>	<b>6/13/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 121		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.2 Power tool safety					
<b>4.3 Proper firefighting techniques</b>	<b>6/14/2002</b>	<b>3/24/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 122		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 4.3 Proper firefighting techniques					
<b>4.4 Controlling the accidental release of gas</b>					<b>Not Taken</b>
Original Requirement 1					
Module 131					

# Emmetsburg Municipal Utilities

## Jeff Morey On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.5 Soil subsidence</b>	<b>6/19/2002</b>	<b>3/24/2008</b>	<b>3/2/2011</b>	<b>3/2/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 201		3/2/2011	Taught By IAMU		
<b>Or</b> Hands On 4.5 Soil subsidence					
<b>4.6 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/2/2011</b>	<b>3/2/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/2/2011	Taught By IAMU		
<b>Or</b> Hands On 4.6 Atmospheric corrosion					
<b>4.7 Recognizing unsafe meter sets</b>	<b>4/10/2002</b>	<b>2/11/2008</b>	<b>2/7/2011</b>	<b>2/7/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		2/7/2011	Taught By IAMU		
<b>Or</b> Hands On 4.7 Recognizing unsafe meter sets					
<b>4.8 Confined space entry (vaults, etc.)</b>					<b>Not Taken</b>
Original Requirement 1					
Module 501					
<b>4.9 Job site protection</b>					<b>Not Taken</b>
Original Requirement 1					
Module 401					
<b>5.1 Leak classification</b>	<b>6/24/2002</b>	<b>4/5/2007</b>	<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 221		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.1 Leak classification		4/7/2010	Taught By IAMU		
<b>5.3 Combustible gas indicators</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.3 Combustible gas indicators		4/7/2010	Taught By IAMU		
<b>5.4 Electronic gas detectors</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.4 Electronic gas detectors		4/7/2010	Taught By IAMU		
<b>5.5 Flame ionization</b>	<b>3/22/2006</b>	<b>3/22/2006</b>	<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 232		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.5 Flame ionization		4/7/2010	Taught By IAMU		
<b>5.6 Bar hole testing and purging</b>	<b>3/23/2006</b>	<b>3/23/2006</b>	<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 261		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 5.6 Bar hole testing and purging					
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing		4/7/2010	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Jeff Morey On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>6.2 Investigating leaks</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>4/7/2010</b>	<b>4/7/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/7/2010	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					
<b>6.3 Combustion and ventilation air requirements</b>	<b>3/23/2006</b>	<b>3/23/2006</b>	<b>3/23/2011</b>	<b>3/23/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 301		3/23/2011	Taught By IAMU		
<b>Or</b> Hands On 6.3 Combustion and ventilation air requirements					
<b>6.4 Pilot light operation</b>	<b>3/31/2006</b>	<b>3/31/2006</b>	<b>3/31/2011</b>	<b>3/31/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 311		3/31/2011	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation		3/30/2006	Taught By Emmetsburg M.U.		
Requalification Requirement 2					
Module 324		3/31/2011	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation		3/30/2006	Taught By Emmetsburg M.U.		
<b>6.5 Gas-air adjustment</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 312		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.5 Gas-air adjustment					
<b>6.6 Appliance venting</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 313		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.6 Appliance venting					
<b>6.7 Pressure checks to establish gas service</b>	<b>3/30/2006</b>	<b>3/30/2006</b>	<b>3/30/2011</b>	<b>3/30/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 321		3/30/2011	Taught By IAMU		
<b>Or</b> Hands On 6.7 Pressure checks to establish gas service					
<b>6.8 Establishing and disconnecting gas</b>	<b>3/31/2006</b>	<b>3/31/2006</b>	<b>3/31/2011</b>	<b>3/31/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 322		3/31/2011	Taught By IAMU		
<b>Or</b> Hands On 6.8 Establishing and disconnecting gas					
<b>7.10 Reinforcing steel and plastic mains</b>					<b>Not Taken</b>
Original Requirement 1					
Module 463					
<b>7.11 Plastic pipe joining (fusion)</b>	<b>1/31/2012</b>		<b>1/31/2012</b>	<b>1/31/2013</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)		1/31/2012	Taught By Groebner & Associates, Inc.		
<b>7.12 Plastic pipe joining (mechanical couplings)</b>					<b>Not Taken</b>
Original Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)					

# Emmetsburg Municipal Utilities

## Jeff Morey On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.13 Recognition of defective material</b>					<b>Not Taken</b>
Original Requirement 1 Module 411					
Original Requirement 2 Module 412					
Original Requirement 3 Module 421					
<b>7.15 Steel pipe joining by mechanical couplings</b>					<b>Not Taken</b>
Original Requirement 1 Module 412					
Original Requirement 2 Hands On 7.15 Steel pipe joining by mechanical couplings					
<b>7.18 Replacing emergency valves</b>					<b>Not Taken</b>
Original Requirement 1 Module 441					
Original Requirement 2 Module 511					
<b>Or</b> Hands On 12.3 Inspecting and maintaining key valves					
<b>7.19 Installing meter sets</b>					<b>Not Taken</b>
Original Requirement 1 Module 211		2/7/2011	Taught By IAMU		
Original Requirement 2 Module 322		3/31/2011	Taught By IAMU		
Original Requirement 3 Module 452					
<b>7.20 Tapping and stopping steel pipe 1" through 4"</b>					<b>Not Taken</b>
Original Requirement 1 Hands On 7.20 Tapping and stopping steel pipe 1" through 4"					
<b>7.21 Tapping and stopping steel pipe 6" through 8"</b>					<b>Not Taken</b>
Original Requirement 1 Hands On 7.21 Tapping and stopping steel pipe 6" through 8"					
<b>7.23 Vault abandonment</b>					<b>Not Taken</b>
Original Requirement 1 Module 471					
Original Requirement 2 Module 501					
<b>7.6 Installing tracer wire</b>					<b>Not Taken</b>
Original Requirement 1 Module 451					
Original Requirement 2 Module 452					

# Emmetsburg Municipal Utilities

## Jeff Morey On-Call Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.8 Steel and cast iron repair fittings</b>					<b>Not Taken</b>
Original Requirement 1					
Module 461					
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
<b>8.4 Ditch and backfill inspection</b>	<b>3/23/2005</b>	<b>3/27/2011</b>	<b>3/26/2012</b>	<b>3/26/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 404		3/26/2012	Taught By IAMU		
<b>Or</b> Hands On 8.4 Ditch and backfill inspection					
<b>10.4 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/2/2011</b>	<b>3/2/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/2/2011	Taught By IAMU		
<b>Or</b> Hands On 10.4 Atmospheric corrosion					
<b>10.7 Painting and jacketing above ground facilities</b>					<b>Not Taken</b>
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
<b>12.1 Operating valves (including emergency valves), regulators, and</b>					<b>Not Taken</b>
Original Requirement 1					
Module 244					
Original Requirement 2					
Module 511					
Original Requirement 3					
Module 512					
<b>12.2 Inspecting pressure regulating and limiting stations</b>					<b>Not Taken</b>
Original Requirement 1					
Module 512					
<b>Or</b> Hands On 12.2 Inspecting pressure regulating and limiting stations					
<b>12.3 Inspecting and maintaining key valves</b>					<b>Not Taken</b>
Original Requirement 1					
Module 511					
<b>Or</b> Hands On 12.3 Inspecting and maintaining key valves					

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/8/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		2/3/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/11/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		2/3/2012	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.3 Recognizing emergency conditions</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/20/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		2/6/2012	Taught By IAMU		
<b>2.1 Documenting materials and installation records</b>	<b>9/25/2002</b>	<b>3/20/2007</b>	<b>3/19/2012</b>	<b>3/19/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		3/19/2012	Taught By IAMU		
<b>Or</b> Hands On 2.1 Documenting materials and installation records					
<b>2.2 Documenting maximum allowable operating pressure (MAOP)</b>	<b>3/26/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 421		3/11/2011	Taught By IAMU		
<b>2.4 Investigating and documenting line failure</b>	<b>10/9/2002</b>	<b>2/12/2007</b>	<b>2/3/2010</b>	<b>2/3/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 462		2/3/2010	Taught By IAMU		
<b>Or</b> Hands On 2.4 Investigating and documenting line failure					
<b>2.5 Accident reporting</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>3.1 Locating facilities using the conductive method</b>	<b>9/25/2002</b>	<b>3/20/2007</b>	<b>3/19/2012</b>	<b>3/19/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		3/19/2012	Taught By IAMU		
<b>Or</b> Hands On 3.1 Locating facilities using the conductive method		4/5/2005	Taught By Emmetsburg M.U.		
<b>3.4 Determining depth through triangulation</b>	<b>9/25/2002</b>	<b>3/20/2007</b>	<b>3/19/2012</b>	<b>3/19/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		3/19/2012	Taught By IAMU		
<b>Or</b> Hands On 3.4 Determining depth through triangulation		3/20/2007	Taught By IAMU		
<b>3.5 System mapping</b>	<b>9/25/2002</b>	<b>3/20/2007</b>	<b>3/19/2012</b>	<b>3/19/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		3/19/2012	Taught By IAMU		
<b>Or</b> Hands On 3.5 System mapping					
<b>4.10 Purging safety</b>	<b>3/20/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 422		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.10 Purging safety					
<b>4.1 Personal protective equipment</b>	<b>6/12/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 111		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.1 Personal protective equipment					

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.11 Pressure testing steel and plastic pipeline</b>	<b>3/26/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 421		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.11 Pressure testing steel and plastic pipeline					
<b>4.12 Abandoning facilities</b>	<b>10/10/2002</b>	<b>3/17/2008</b>	<b>3/14/2011</b>	<b>3/14/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 471		3/14/2011	Taught By IAMU		
<b>Or</b> Hands On 4.12 Abandoning facilities					
<b>4.13 Excavation safety</b>	<b>9/30/2002</b>	<b>4/4/2011</b>	<b>4/2/2012</b>	<b>4/2/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 404		4/2/2012	Taught By IAMU		
<b>Or</b> Hands On 4.13 Excavation safety					
<b>4.2 Power tool safety</b>	<b>6/13/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 121		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.2 Power tool safety					
<b>4.3 Proper firefighting techniques</b>	<b>6/14/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 122		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.3 Proper firefighting techniques					
<b>4.4 Controlling the accidental release of gas</b>	<b>3/19/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 131		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.4 Controlling the accidental release of gas					
<b>4.5 Soil subsidence</b>	<b>6/19/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 201		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.5 Soil subsidence					
<b>4.6 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.6 Atmospheric corrosion					
<b>4.7 Recognizing unsafe meter sets</b>	<b>4/10/2002</b>	<b>10/1/2007</b>	<b>9/28/2010</b>	<b>9/28/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		9/28/2010	Taught By IAMU		
<b>Or</b> Hands On 4.7 Recognizing unsafe meter sets					
<b>4.8 Confined space entry (vaults, etc.)</b>	<b>7/27/2006</b>	<b>4/5/2011</b>	<b>4/2/2012</b>	<b>4/2/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 501		4/2/2012	Taught By IAMU		
<b>Or</b> Hands On 4.8 Confined space entry (vaults, etc.)					

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.9 Job site protection</b>	<b>9/25/2002</b>	<b>3/26/2008</b>	<b>3/22/2011</b>	<b>3/22/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 401		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 4.9 Job site protection					
<b>5.1 Leak classification</b>	<b>6/24/2002</b>	<b>6/24/2002</b>	<b>6/19/2007</b>	<b>6/19/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 221		6/19/2007	Taught By IAMU		
<b>Or</b> Hands On 5.1 Leak classification					
<b>5.2 Procedures for leak surveys and patrols</b>	<b>7/9/2002</b>	<b>7/9/2002</b>	<b>7/6/2007</b>	<b>7/6/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 271		7/6/2007	Taught By IAMU		
<b>Or</b> Hands On 5.2 Procedures for leak surveys and patrols					
<b>5.3 Combustible gas indicators</b>	<b>6/25/2002</b>	<b>6/25/2002</b>	<b>6/22/2007</b>	<b>6/22/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		6/22/2007	Taught By IAMU		
<b>Or</b> Hands On 5.3 Combustible gas indicators		6/22/2007	Taught By IAMU		
<b>5.4 Electronic gas detectors</b>	<b>6/25/2002</b>	<b>6/25/2002</b>	<b>6/22/2007</b>	<b>6/22/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		6/22/2007	Taught By IAMU		
<b>Or</b> Hands On 5.4 Electronic gas detectors		6/22/2007	Taught By IAMU		
<b>5.5 Flame ionization</b>	<b>7/1/2002</b>	<b>7/1/2002</b>	<b>6/22/2007</b>	<b>6/22/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 232		6/22/2007	Taught By IAMU		
<b>Or</b> Hands On 5.5 Flame ionization		6/22/2007	Taught By IAMU		
<b>5.6 Bar hole testing and purging</b>	<b>7/8/2002</b>	<b>7/8/2002</b>	<b>6/25/2007</b>	<b>6/25/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 261		6/25/2007	Taught By IAMU		
<b>Or</b> Hands On 5.6 Bar hole testing and purging		6/25/2007	Taught By IAMU		
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>4/9/2012</b>	<b>4/9/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/9/2012	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/12/2002</b>	<b>4/9/2007</b>	<b>4/9/2012</b>	<b>4/9/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/9/2012	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					
<b>6.3 Combustion and ventilation air requirements</b>	<b>7/10/2002</b>	<b>7/10/2002</b>	<b>7/8/2007</b>	<b>7/8/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 301		7/8/2007	Taught By IAMU		
<b>Or</b> Hands On 6.3 Combustion and ventilation air requirements					

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>6.4 Pilot light operation</b>	<b>7/11/2002</b>	<b>7/11/2002</b>	<b>7/9/2007</b>	<b>7/9/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 311		7/9/2007	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		7/9/2007	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					
<b>6.5 Gas-air adjustment</b>	<b>7/31/2002</b>	<b>7/31/2002</b>	<b>7/19/2007</b>	<b>7/19/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 312		7/19/2007	Taught By IAMU		
<b>Or</b> Hands On 6.5 Gas-air adjustment					
<b>6.6 Appliance venting</b>	<b>8/5/2002</b>	<b>8/5/2002</b>	<b>7/19/2007</b>	<b>7/19/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 313		7/19/2007	Taught By IAMU		
<b>Or</b> Hands On 6.6 Appliance venting					
<b>6.7 Pressure checks to establish gas service</b>	<b>9/23/2002</b>	<b>9/23/2002</b>	<b>8/21/2007</b>	<b>8/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 321		8/21/2007	Taught By IAMU		
<b>Or</b> Hands On 6.7 Pressure checks to establish gas service					
<b>6.8 Establishing and disconnecting gas</b>	<b>9/24/2002</b>	<b>8/23/2007</b>	<b>10/1/2007</b>	<b>10/1/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 322		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 6.8 Establishing and disconnecting gas					
<b>7.1 Pressure testing steel and plastic pipeline</b>	<b>3/26/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 421		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 7.1 Pressure testing steel and plastic pipeline					
<b>7.10 Reinforcing steel and plastic mains</b>	<b>10/10/2002</b>	<b>10/10/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 463		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 7.10 Reinforcing steel and plastic mains					
<b>7.11 Plastic pipe joining (fusion)</b>	<b>4/1/2002</b>	<b>2/4/2011</b>	<b>1/24/2012</b>	<b>1/24/2013</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)		1/24/2012	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.13 Recognition of defective material</b>	<b>10/22/2002</b>	<b>3/11/2011</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 411		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.13 Recognition of defective material					
Requalification Requirement 2					
Module 412		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.13 Recognition of defective material					
Requalification Requirement 3					
Module 421		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 7.13 Recognition of defective material					
<b>7.14 Steel pipe joining by welding</b>	<b>3/8/2002</b>	<b>3/17/2011</b>	<b>3/15/2012</b>	<b>3/15/2013</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.14 Steel pipe joining by welding		3/15/2012	Taught By Steve Farnsworth ILCC		
<b>7.15 Steel pipe joining by mechanical couplings</b>	<b>3/24/2005</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 412		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.15 Steel pipe joining by mechanical couplings		3/24/2005	Taught By Emmetsburg M.U.		
<b>7.16 Damage prevention</b>	<b>10/9/2002</b>	<b>2/12/2007</b>	<b>2/3/2010</b>	<b>2/3/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 462		2/3/2010	Taught By IAMU		
<b>Or</b> Hands On 7.16 Damage prevention					
<b>7.17 Application of padding and shielding</b>	<b>10/8/2002</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 453		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.17 Application of padding and shielding					
<b>7.18 Replacing emergency valves</b>	<b>10/21/2002</b>	<b>10/21/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 441		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 7.18 Replacing emergency valves					
Requalification Requirement 2					
Module 511		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 7.18 Replacing emergency valves					
<b>7.19 Installing meter sets</b>	<b>10/4/2002</b>	<b>9/28/2010</b>	<b>3/24/2011</b>	<b>3/24/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		9/28/2010	Taught By IAMU		
<b>Or</b> Hands On 7.19 Installing meter sets					
Requalification Requirement 2					
Module 322		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 7.19 Installing meter sets					
Requalification Requirement 3					
Module 452		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 7.19 Installing meter sets					

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.20 Tapping and stopping steel pipe 1" through 4"</b>	<b>10/3/2002</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"		3/29/2011	Taught By IAMU		
<b>7.2 Procedures for abandoning facilities</b>	<b>10/10/2002</b>	<b>3/17/2008</b>	<b>3/14/2011</b>	<b>3/14/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 471		3/14/2011	Taught By IAMU		
Or Hands On 7.2 Procedures for abandoning facilities					
<b>7.22 Tapping and stopping polyethylene pipe</b>	<b>10/4/2002</b>	<b>10/4/2002</b>	<b>10/1/2007</b>	<b>10/1/2012</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe		10/1/2007	Taught By IAMU		
<b>7.3 Cathodic protection (general)</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
Or Hands On 7.3 Cathodic protection (general)					
<b>7.4 Constructing facilities across streets, railroads, and waterways</b>	<b>10/8/2002</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 453		3/29/2011	Taught By IAMU		
Or Hands On 7.4 Constructing facilities across streets, railroads, and waterways					
<b>7.5 Operating thermite welder</b>	<b>3/23/2005</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
Or Hands On 7.5 Operating thermite welder		9/18/2011	Taught By IAMU		
<b>7.6 Installing tracer wire</b>	<b>10/4/2002</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 451		3/24/2011	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire					
Requalification Requirement 2					
Module 452		3/24/2011	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire					
<b>7.7 Installing valves</b>	<b>10/4/2002</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 451		3/24/2011	Taught By IAMU		
Or Hands On 7.7 Installing valves					
<b>7.8 Steel and cast iron repair fittings</b>	<b>10/8/2002</b>	<b>10/8/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 461		3/31/2005	Taught By Emmetsburg M.U.		
Or Hands On 7.8 Steel and cast iron repair fittings		10/2/2007	Taught By IAMU		
<b>7.9 Maintaining steel and cast iron mains</b>	<b>10/9/2002</b>	<b>2/12/2007</b>	<b>2/3/2010</b>	<b>2/3/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 462		2/3/2010	Taught By IAMU		
Or Hands On 7.9 Maintaining steel and cast iron mains					

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>8.1 Operating backhoe</b>	<b>3/24/2005</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 403		3/31/2005	Taught By Emmetsburg M.U.		
<b>Or</b> Hands On 8.1 Operating backhoe		3/24/2011	Taught By IAMU		
<b>8.2 Operating trencher</b>	<b>9/26/2002</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Hands On 8.2 Operating trencher		3/24/2011	Taught By IAMU		
<b>8.4 Ditch and backfill inspection</b>	<b>9/30/2002</b>	<b>4/4/2011</b>	<b>4/2/2012</b>	<b>4/2/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 404		4/2/2012	Taught By IAMU		
<b>Or</b> Hands On 8.4 Ditch and backfill inspection					
<b>9.1 Metering</b>	<b>9/14/2006</b>		<b>9/14/2006</b>	<b>9/14/2011</b>	<b>Expired</b>
Original Requirement 1					
Hands On 9.1 Metering		9/14/2006	Taught By IAMU		
<b>9.2 Odorization measurement and control</b>	<b>7/2/2002</b>	<b>7/2/2002</b>	<b>6/21/2007</b>	<b>6/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 251		6/21/2007	Taught By IAMU		
<b>Or</b> Hands On 9.2 Odorization measurement and control					
<b>10.1 Cathodic protection</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.1 Cathodic protection					
<b>10.10 Inspection, monitoring cathodic protection system</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.10 Inspection, monitoring cathodic protection system					
<b>10.2 Internal corrosion</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.2 Internal corrosion					
<b>10.3 External corrosion</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.3 External corrosion					
<b>10.4 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 10.4 Atmospheric corrosion					
<b>10.5 Coatings</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.5 Coatings					

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>10.6 Holiday detection (coating inspection)</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.6 Holiday detection (coating inspection)		9/27/2005	Taught By IAMU		
<b>10.7 Painting and jacketing above ground facilities</b>	<b>6/20/2002</b>	<b>6/16/2008</b>	<b>6/1/2011</b>	<b>6/1/2014</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities		6/1/2011	Taught By IAMU		
<b>10.8 Installation of cathodic protection (sacrificial anode system)</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.8 Installation of cathodic protection (sacrificial anode system)					
<b>11.2 Operating and maintaining injection odorant system</b>	<b>3/23/2005</b>	<b>3/23/2005</b>	<b>6/21/2007</b>	<b>6/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 251		6/21/2007	Taught By IAMU		
<b>Or</b> Hands On 11.2 Operating and maintaining injection odorant system		6/21/2007	Taught By IAMU		
<b>11.3 Testing odorant level</b>	<b>3/8/2005</b>	<b>3/8/2005</b>	<b>6/21/2007</b>	<b>6/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 251		6/21/2007	Taught By IAMU		
<b>Or</b> Hands On 11.3 Testing odorant level		6/21/2007	Taught By IAMU		
<b>12.1 Operating valves (including emergency valves), regulators, and</b>	<b>10/21/2002</b>	<b>10/1/2007</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Module 244		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves		10/21/2002	Taught By Emmetsburg M.U.		
Requalification Requirement 2					
Module 511		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves		10/21/2002	Taught By Emmetsburg M.U.		
Requalification Requirement 3					
Module 512		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves		10/21/2002	Taught By Emmetsburg M.U.		
<b>12.2 Inspecting pressure regulating and limiting stations</b>	<b>10/17/2002</b>	<b>10/17/2002</b>	<b>10/1/2007</b>	<b>10/1/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 512		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 12.2 Inspecting pressure regulating and limiting stations					

# Emmetsburg Municipal Utilities

## Steve Schiek Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>12.3 Inspecting and maintaining key valves</b>	<b>10/21/2002</b>	<b>10/21/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 511		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 12.3 Inspecting and maintaining key valves					

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>	<b>2/8/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 101		2/3/2012	Taught By IAMU		
<b>1.2 Potential ignition sources: indoor and outdoor</b>	<b>2/11/2002</b>	<b>2/6/2007</b>	<b>2/3/2012</b>	<b>2/3/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 102		2/3/2012	Taught By IAMU		
<b>1.3 Recognizing emergency conditions</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>1.4 Recognizing and reporting natural gas leaks</b>	<b>2/20/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 104		2/6/2012	Taught By IAMU		
<b>2.1 Documenting materials and installation records</b>	<b>9/25/2002</b>	<b>9/25/2002</b>	<b>8/20/2007</b>	<b>8/20/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		8/20/2007	Taught By IAMU		
<b>Or</b> Hands On 2.1 Documenting materials and installation records					
<b>2.2 Documenting maximum allowable operating pressure (MAOP)</b>	<b>3/26/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 421		3/11/2011	Taught By IAMU		
<b>2.4 Investigating and documenting line failure</b>	<b>10/9/2002</b>	<b>2/6/2007</b>	<b>2/3/2010</b>	<b>2/3/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 462		2/3/2010	Taught By IAMU		
<b>Or</b> Hands On 2.4 Investigating and documenting line failure					
<b>2.5 Accident reporting</b>	<b>2/19/2002</b>	<b>2/6/2007</b>	<b>2/6/2012</b>	<b>2/6/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 103		2/6/2012	Taught By IAMU		
<b>3.1 Locating facilities using the conductive method</b>	<b>9/25/2002</b>	<b>7/13/2007</b>	<b>8/20/2007</b>	<b>8/20/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		8/20/2007	Taught By IAMU		
<b>Or</b> Hands On 3.1 Locating facilities using the conductive method		7/13/2007	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>3.4 Determining depth through triangulation</b>	<b>9/25/2002</b>	<b>9/25/2002</b>	<b>8/20/2007</b>	<b>8/20/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		8/20/2007	Taught By IAMU		
<b>Or</b> Hands On 3.4 Determining depth through triangulation		8/20/2007	Taught By IAMU		
<b>3.5 System mapping</b>	<b>9/25/2002</b>	<b>9/25/2002</b>	<b>8/20/2007</b>	<b>8/20/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 402		8/20/2007	Taught By IAMU		
<b>Or</b> Hands On 3.5 System mapping					
<b>4.10 Purging safety</b>	<b>3/20/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 422		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.10 Purging safety					
<b>4.1 Personal protective equipment</b>	<b>6/12/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 111		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.1 Personal protective equipment					
<b>4.11 Pressure testing steel and plastic pipeline</b>	<b>3/26/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 421		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 4.11 Pressure testing steel and plastic pipeline					
<b>4.12 Abandoning facilities</b>	<b>10/10/2002</b>	<b>3/17/2008</b>	<b>3/14/2011</b>	<b>3/14/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 471		3/14/2011	Taught By IAMU		
<b>Or</b> Hands On 4.12 Abandoning facilities					
<b>4.13 Excavation safety</b>	<b>9/30/2002</b>	<b>4/4/2011</b>	<b>4/2/2012</b>	<b>4/2/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 404		4/2/2012	Taught By IAMU		
<b>Or</b> Hands On 4.13 Excavation safety					
<b>4.2 Power tool safety</b>	<b>6/13/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 121		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.2 Power tool safety					
<b>4.3 Proper firefighting techniques</b>	<b>6/14/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 122		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.3 Proper firefighting techniques					
<b>4.4 Controlling the accidental release of gas</b>	<b>3/19/2002</b>	<b>3/11/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 131		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.4 Controlling the accidental release of gas					

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.5 Soil subsidence</b>	<b>6/19/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 201		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.5 Soil subsidence					
<b>4.6 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 4.6 Atmospheric corrosion					
<b>4.7 Recognizing unsafe meter sets</b>	<b>4/10/2002</b>	<b>10/1/2007</b>	<b>9/28/2010</b>	<b>9/28/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		9/28/2010	Taught By IAMU		
<b>Or</b> Hands On 4.7 Recognizing unsafe meter sets					
<b>4.8 Confined space entry (vaults, etc.)</b>	<b>7/27/2006</b>	<b>4/5/2011</b>	<b>4/2/2012</b>	<b>4/2/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 501		4/2/2012	Taught By IAMU		
<b>Or</b> Hands On 4.8 Confined space entry (vaults, etc.)					
<b>4.9 Job site protection</b>	<b>9/25/2002</b>	<b>3/26/2008</b>	<b>3/22/2011</b>	<b>3/22/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 401		3/22/2011	Taught By IAMU		
<b>Or</b> Hands On 4.9 Job site protection					
<b>5.1 Leak classification</b>	<b>6/24/2002</b>	<b>6/24/2002</b>	<b>6/19/2007</b>	<b>6/19/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 221		6/19/2007	Taught By IAMU		
<b>Or</b> Hands On 5.1 Leak classification					
<b>5.2 Procedures for leak surveys and patrols</b>	<b>7/9/2002</b>	<b>7/9/2002</b>	<b>7/6/2007</b>	<b>7/6/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 271		7/6/2007	Taught By IAMU		
<b>Or</b> Hands On 5.2 Procedures for leak surveys and patrols					
<b>5.3 Combustible gas indicators</b>	<b>6/25/2002</b>	<b>6/25/2002</b>	<b>6/22/2007</b>	<b>6/22/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		6/22/2007	Taught By IAMU		
<b>Or</b> Hands On 5.3 Combustible gas indicators		6/22/2007	Taught By IAMU		
<b>5.4 Electronic gas detectors</b>	<b>6/25/2002</b>	<b>6/25/2002</b>	<b>6/22/2007</b>	<b>6/22/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 231		6/22/2007	Taught By IAMU		
<b>Or</b> Hands On 5.4 Electronic gas detectors		6/22/2007	Taught By IAMU		
<b>5.5 Flame ionization</b>	<b>7/1/2002</b>	<b>7/1/2002</b>	<b>6/22/2007</b>	<b>6/22/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 232		6/22/2007	Taught By IAMU		
<b>Or</b> Hands On 5.5 Flame ionization		6/22/2007	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>5.6 Bar hole testing and purging</b>	<b>7/8/2002</b>	<b>7/8/2002</b>	<b>6/25/2007</b>	<b>6/25/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 261		6/25/2007	Taught By IAMU		
<b>Or</b> Hands On 5.6 Bar hole testing and purging		6/25/2007	Taught By IAMU		
<b>6.1 Carbon monoxide (CO) testing</b>	<b>4/11/2002</b>	<b>4/9/2007</b>	<b>4/9/2012</b>	<b>4/9/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 241		4/9/2012	Taught By IAMU		
<b>Or</b> Hands On 6.1 Carbon monoxide (CO) testing					
<b>6.2 Investigating leaks</b>	<b>4/12/2002</b>	<b>4/9/2007</b>	<b>4/9/2012</b>	<b>4/9/2017</b>	<b>Current</b>
Requalification Requirement 1					
Module 272		4/9/2012	Taught By IAMU		
<b>Or</b> Hands On 6.2 Investigating leaks					
<b>6.3 Combustion and ventilation air requirements</b>	<b>7/10/2002</b>	<b>7/10/2002</b>	<b>7/8/2007</b>	<b>7/8/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 301		7/8/2007	Taught By IAMU		
<b>Or</b> Hands On 6.3 Combustion and ventilation air requirements					
<b>6.4 Pilot light operation</b>	<b>10/22/2002</b>	<b>10/22/2002</b>	<b>10/18/2007</b>	<b>10/18/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 311		10/18/2007	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		10/18/2007	Taught By IAMU		
<b>Or</b> Hands On 6.4 Pilot light operation					
<b>6.5 Gas-air adjustment</b>	<b>7/31/2002</b>	<b>7/31/2002</b>	<b>7/19/2007</b>	<b>7/19/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 312		7/19/2007	Taught By IAMU		
<b>Or</b> Hands On 6.5 Gas-air adjustment					
<b>6.6 Appliance venting</b>	<b>8/5/2002</b>	<b>8/5/2002</b>	<b>7/19/2007</b>	<b>7/19/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 313		7/19/2007	Taught By IAMU		
<b>Or</b> Hands On 6.6 Appliance venting					
<b>6.7 Pressure checks to establish gas service</b>	<b>9/23/2002</b>	<b>9/23/2002</b>	<b>8/21/2007</b>	<b>8/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 321		8/21/2007	Taught By IAMU		
<b>Or</b> Hands On 6.7 Pressure checks to establish gas service					
<b>6.8 Establishing and disconnecting gas</b>	<b>9/24/2002</b>	<b>8/23/2007</b>	<b>10/1/2007</b>	<b>10/1/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 322		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 6.8 Establishing and disconnecting gas					

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.1 Pressure testing steel and plastic pipeline</b>	<b>3/26/2002</b>	<b>3/14/2008</b>	<b>3/11/2011</b>	<b>3/11/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 421		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 7.1 Pressure testing steel and plastic pipeline					
<b>7.10 Reinforcing steel and plastic mains</b>	<b>10/10/2002</b>	<b>10/10/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 463		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 7.10 Reinforcing steel and plastic mains					
<b>7.11 Plastic pipe joining (fusion)</b>	<b>4/1/2002</b>	<b>2/4/2011</b>	<b>1/31/2012</b>	<b>1/31/2013</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)			1/31/2012	Taught By Groebner & Associates, Inc.	
<b>7.13 Recognition of defective material</b>	<b>10/22/2002</b>	<b>3/11/2011</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 411		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.13 Recognition of defective material					
Requalification Requirement 2					
Module 412		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.13 Recognition of defective material					
Requalification Requirement 3					
Module 421		3/11/2011	Taught By IAMU		
<b>Or</b> Hands On 7.13 Recognition of defective material					
<b>7.14 Steel pipe joining by welding</b>	<b>3/8/2002</b>	<b>3/17/2011</b>	<b>3/15/2012</b>	<b>3/15/2013</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.14 Steel pipe joining by welding		3/15/2012	Taught By Steve Farnsworth ILCC		
<b>7.15 Steel pipe joining by mechanical couplings</b>	<b>10/22/2002</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 412		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.15 Steel pipe joining by mechanical couplings					
<b>7.16 Damage prevention</b>	<b>10/9/2002</b>	<b>2/6/2007</b>	<b>2/3/2010</b>	<b>2/3/2013</b>	<b>Current</b>
Requalification Requirement 1					
Module 462		2/3/2010	Taught By IAMU		
<b>Or</b> Hands On 7.16 Damage prevention					
<b>7.17 Application of padding and shielding</b>	<b>10/8/2002</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 453		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.17 Application of padding and shielding					
<b>7.18 Replacing emergency valves</b>	<b>10/21/2002</b>	<b>10/21/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 441		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 7.18 Replacing emergency valves					
Requalification Requirement 2					
Module 511		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 7.18 Replacing emergency valves					

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.19 Installing meter sets</b>	<b>10/4/2002</b>	<b>9/28/2010</b>	<b>3/24/2011</b>	<b>3/24/2016</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		9/28/2010	Taught By IAMU		
<b>Or</b> Hands On 7.19 Installing meter sets					
Requalification Requirement 2					
Module 322		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 7.19 Installing meter sets					
Requalification Requirement 3					
Module 452		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 7.19 Installing meter sets					
<b>7.2 Procedures for abandoning facilities</b>	<b>10/10/2002</b>	<b>3/17/2008</b>	<b>3/14/2011</b>	<b>3/14/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 471		3/14/2011	Taught By IAMU		
<b>Or</b> Hands On 7.2 Procedures for abandoning facilities					
<b>7.20 Tapping and stopping steel pipe 1" through 4"</b>	<b>10/3/2002</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"		3/29/2011	Taught By IAMU		
<b>7.22 Tapping and stopping polyethylene pipe</b>	<b>10/4/2002</b>	<b>10/1/2007</b>	<b>1/31/2012</b>	<b>1/31/2017</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe		1/31/2012	Taught By Groebner & Associates, Inc.		
<b>7.3 Cathodic protection (general)</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 7.3 Cathodic protection (general)					
<b>7.4 Constructing facilities across streets, railroads, and waterways</b>	<b>10/8/2002</b>	<b>4/2/2008</b>	<b>3/29/2011</b>	<b>3/29/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 453		3/29/2011	Taught By IAMU		
<b>Or</b> Hands On 7.4 Constructing facilities across streets, railroads, and waterways					
<b>7.5 Operating thermite welder</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 7.5 Operating thermite welder		9/18/2011	Taught By IAMU		
<b>7.6 Installing tracer wire</b>	<b>10/4/2002</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 451		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 7.6 Installing tracer wire					
Requalification Requirement 2					
Module 452		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 7.6 Installing tracer wire					

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>7.7 Installing valves</b>	<b>10/4/2002</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 451		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 7.7 Installing valves					
<b>7.8 Steel and cast iron repair fittings</b>	<b>10/8/2002</b>	<b>3/31/2005</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 461					
<b>Or</b> Hands On 7.8 Steel and cast iron repair fittings		10/2/2007	Taught By IAMU		
<b>7.9 Maintaining steel and cast iron mains</b>	<b>10/9/2002</b>	<b>2/6/2007</b>	<b>2/3/2010</b>	<b>2/3/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 462		2/3/2010	Taught By IAMU		
<b>Or</b> Hands On 7.9 Maintaining steel and cast iron mains					
<b>8.1 Operating backhoe</b>	<b>9/26/2002</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 403		3/24/2011	Taught By IAMU		
<b>Or</b> Hands On 8.1 Operating backhoe					
<b>8.2 Operating trencher</b>	<b>9/26/2002</b>	<b>3/28/2008</b>	<b>3/24/2011</b>	<b>3/24/2014</b>	<b>Current</b>
Hands On 8.2 Operating trencher		3/24/2011	Taught By IAMU		
<b>8.4 Ditch and backfill inspection</b>	<b>9/30/2002</b>	<b>4/4/2011</b>	<b>4/2/2012</b>	<b>4/2/2015</b>	<b>Current</b>
Requalification Requirement 1					
Module 404		4/2/2012	Taught By IAMU		
<b>Or</b> Hands On 8.4 Ditch and backfill inspection					
<b>9.1 Metering</b>	<b>9/14/2006</b>		<b>9/14/2006</b>	<b>9/14/2011</b>	<b>Expired</b>
Original Requirement 1					
Hands On 9.1 Metering		9/14/2006	Taught By IAMU		
<b>9.2 Odorization measurement and control</b>	<b>7/2/2002</b>	<b>7/2/2002</b>	<b>6/21/2007</b>	<b>6/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 251		6/21/2007	Taught By IAMU		
<b>Or</b> Hands On 9.2 Odorization measurement and control					
<b>10.10 Inspection, monitoring cathodic protection system</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.10 Inspection, monitoring cathodic protection system					
<b>10.1 Cathodic protection</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.1 Cathodic protection					
<b>10.2 Internal corrosion</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.2 Internal corrosion					

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>10.3 External corrosion</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.3 External corrosion					
<b>10.4 Atmospheric corrosion</b>	<b>6/20/2002</b>	<b>3/24/2008</b>	<b>3/21/2011</b>	<b>3/21/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 202		3/21/2011	Taught By IAMU		
<b>Or</b> Hands On 10.4 Atmospheric corrosion					
<b>10.5 Coatings</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.5 Coatings					
<b>10.6 Holiday detection (coating inspection)</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.6 Holiday detection (coating inspection)		9/27/2005	Taught By IAMU		
<b>10.7 Painting and jacketing above ground facilities</b>	<b>6/20/2002</b>	<b>6/16/2008</b>	<b>6/1/2011</b>	<b>6/1/2014</b>	<b>Current</b>
Requalification Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities		6/1/2011	Taught By IAMU		
<b>10.8 Installation of cathodic protection (sacrificial anode system)</b>	<b>10/2/2002</b>	<b>9/25/2008</b>	<b>9/18/2011</b>	<b>9/18/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 431		9/18/2011	Taught By IAMU		
<b>Or</b> Hands On 10.8 Installation of cathodic protection (sacrificial anode system)					
<b>11.2 Operating and maintaining injection odorant system</b>	<b>7/2/2002</b>	<b>7/2/2002</b>	<b>6/21/2007</b>	<b>6/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 251		6/21/2007	Taught By IAMU		
<b>Or</b> Hands On 11.2 Operating and maintaining injection odorant system		6/21/2007	Taught By IAMU		
<b>11.3 Testing odorant level</b>	<b>7/2/2002</b>	<b>7/2/2002</b>	<b>6/21/2007</b>	<b>6/21/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 251		6/21/2007	Taught By IAMU		
<b>Or</b> Hands On 11.3 Testing odorant level		6/21/2007	Taught By IAMU		

# Emmetsburg Municipal Utilities

## Dan Shirk Operator Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>12.1 Operating valves (including emergency valves), regulators, and</b>	<b>10/21/2002</b>	<b>10/21/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Module 244		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 2					
Module 511		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 3					
Module 512		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
<b>12.2 Inspecting pressure regulating and limiting stations</b>	<b>10/17/2002</b>	<b>10/17/2002</b>	<b>10/1/2007</b>	<b>10/1/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 512		10/1/2007	Taught By IAMU		
<b>Or</b> Hands On 12.2 Inspecting pressure regulating and limiting stations					
<b>12.3 Inspecting and maintaining key valves</b>	<b>10/21/2002</b>	<b>10/21/2002</b>	<b>10/2/2007</b>	<b>10/2/2012</b>	<b>Current</b>
Requalification Requirement 1					
Module 511		10/2/2007	Taught By IAMU		
<b>Or</b> Hands On 12.3 Inspecting and maintaining key valves					

## Jenna Shirk Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>1.1 Characteristics and hazards of natural gas</b>					<b>Not Taken</b>
Original Requirement 1					
Module 101					
<b>1.2 Potential ignition sources: indoor and outdoor</b>					<b>Not Taken</b>
Original Requirement 1					
Module 102					
<b>1.3 Recognizing emergency conditions</b>					<b>Not Taken</b>
Original Requirement 1					
Module 103					
<b>1.4 Recognizing and reporting natural gas leaks</b>					<b>Not Taken</b>
Original Requirement 1					
Module 104					
<b>2.5 Accident reporting</b>					<b>Not Taken</b>
Original Requirement 1					
Module 103					

# Emmetsburg Municipal Utilities

## Jenna Shirk Dispatch Emmetsburg

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
<b>4.7 Recognizing unsafe meter sets</b>	<b>3/22/2011</b>	<b>3/22/2011</b>	<b>5/9/2011</b>	<b>5/9/2014</b>	<b>Current</b>
Requalification Requirement 1					
Module 211		5/9/2011	Taught By IAMU		
<b>Or</b> Hands On 4.7 Recognizing unsafe meter sets					
<b>6.1 Carbon monoxide (CO) testing</b>					<b>Not Taken</b>
Original Requirement 1					
Module 241					
<b>6.2 Investigating leaks</b>					<b>Not Taken</b>
Original Requirement 1					
Module 272					