

IAMU OQ Required Training Report

Orange City Municipal Utilities

Kent Anderson Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	5/2/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 101		3/7/2012	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	5/2/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 102		3/7/2012	Taught By IAMU		
1.3 Recognizing emergency conditions	5/2/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	5/2/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 104		3/7/2012	Taught By IAMU		
2.5 Accident reporting	5/2/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	6/25/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 101		1/14/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	6/25/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 102		1/14/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	6/25/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 103		1/14/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	6/25/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 104		1/14/2011	Taught By IAMU		
2.1 Documenting materials and installation records	7/30/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 402		1/14/2011	Taught By IAMU		
Or Hands On 2.1 Documenting materials and installation records					
2.2 Documenting maximum allowable operating pressure (MAOP)	7/30/2002	2/12/2010	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 421		1/14/2011	Taught By IAMU		

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.3 System up-rating	7/31/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 521		1/14/2011	Taught By IAMU		
Or Hands On 2.3 System up-rating					
2.4 Investigating and documenting line failure	4/18/2002	2/12/2010	1/14/2011	1/14/2014	Current
Requalification Requirement 1					
Module 462		1/14/2011	Taught By IAMU		
Or Hands On 2.4 Investigating and documenting line failure					
2.5 Accident reporting	6/25/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 103		1/14/2011	Taught By IAMU		
3.1 Locating facilities using the conductive method	5/8/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 402		1/14/2011	Taught By IAMU		
Or Hands On 3.1 Locating facilities using the conductive method		5/5/2009	Taught By IAMU		
3.2 Locating facilities using the inductive method	5/8/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 402		1/14/2011	Taught By IAMU		
Or Hands On 3.2 Locating facilities using the inductive method		5/5/2009	Taught By IAMU		
3.3 Locating facilities using the inductive method (two persons)	5/8/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 402		1/14/2011	Taught By IAMU		
Or Hands On 3.3 Locating facilities using the inductive method (two persons)		5/5/2009	Taught By IAMU		
3.4 Determining depth through triangulation	5/8/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 402		1/14/2011	Taught By IAMU		
Or Hands On 3.4 Determining depth through triangulation		5/5/2009	Taught By IAMU		
3.5 System mapping	7/30/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 402		1/14/2011	Taught By IAMU		
Or Hands On 3.5 System mapping					
4.1 Personal protective equipment	6/25/2002	1/26/2007	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 111		2/12/2010	Taught By IAMU		
Or Hands On 4.1 Personal protective equipment					
4.10 Purging safety	7/31/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 422		2/12/2010	Taught By IAMU		
Or Hands On 4.10 Purging safety		7/30/2008	Taught By IAMU		

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.11 Pressure testing steel and plastic pipeline	7/30/2002	2/12/2010	1/14/2011	1/14/2014	Current
Requalification Requirement 1					
Module 421		1/14/2011	Taught By IAMU		
Or Hands On 4.11 Pressure testing steel and plastic pipeline		7/30/2008	Taught By IAMU		
4.12 Abandoning facilities	7/31/2002	1/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 471		2/12/2010	Taught By IAMU		
Or Hands On 4.12 Abandoning facilities					
4.13 Excavation safety	6/26/2002	1/7/2011	12/14/2011	12/14/2012	Current
Requalification Requirement 1					
Module 404		12/14/2011	Taught By IAMU		
Or Hands On 4.13 Excavation safety					
4.2 Power tool safety	6/25/2002	1/26/2007	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 121		2/12/2010	Taught By IAMU		
Or Hands On 4.2 Power tool safety					
4.3 Proper firefighting techniques	6/25/2002	4/15/2009	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 122		2/12/2010	Taught By IAMU		
Or Hands On 4.3 Proper firefighting techniques		4/15/2009	Taught By IAMU		
4.4 Controlling the accidental release of gas	7/30/2002	4/15/2009	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 131		2/12/2010	Taught By IAMU		
Or Hands On 4.4 Controlling the accidental release of gas		4/15/2009	Taught By IAMU		
4.5 Soil subsidence	6/26/2002	5/5/2009	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 201		2/12/2010	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	7/30/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 202		2/12/2010	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
4.7 Recognizing unsafe meter sets	7/30/2002	2/12/2010	1/14/2011	1/14/2014	Current
Requalification Requirement 1					
Module 211		1/14/2011	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets		7/30/2008	Taught By IAMU		
4.8 Confined space entry (vaults, etc.)	6/26/2002	1/7/2011	12/14/2011	12/14/2012	Current
Requalification Requirement 1					
Module 501		12/14/2011	Taught By IAMU		
Or Hands On 4.8 Confined space entry (vaults, etc.)					

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.9 Job site protection	6/26/2002	1/26/2007	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 401		2/12/2010	Taught By IAMU		
Or Hands On 4.9 Job site protection					
5.1 Leak classification	2/20/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 221		1/14/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	2/20/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 271		1/14/2011	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	2/20/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 231		1/14/2011	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators		5/5/2009	Taught By IAMU		
5.4 Electronic gas detectors	2/21/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 231		1/14/2011	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors		5/5/2009	Taught By IAMU		
5.5 Flame ionization	2/20/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 232		1/14/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization		5/5/2009	Taught By IAMU		
5.6 Bar hole testing and purging	2/20/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 261		1/14/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging		5/5/2009	Taught By IAMU		
6.1 Carbon monoxide (CO) testing	2/21/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 241		1/14/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing		5/5/2009	Taught By IAMU		
6.2 Investigating leaks	2/21/2002	5/5/2009	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 272		1/14/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks		5/5/2009	Taught By IAMU		
6.3 Combustion and ventilation air requirements	2/21/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 301		1/14/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.4 Pilot light operation	2/21/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 311		1/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	2/21/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 312		1/14/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	2/21/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 313		1/14/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	2/21/2002	7/30/2008	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 321		1/14/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service		7/30/2008	Taught By IAMU		
6.8 Establishing and disconnecting gas	2/21/2002	7/30/2008	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 322		1/14/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas		7/30/2008	Taught By IAMU		
7.1 Pressure testing steel and plastic pipeline	7/30/2002	2/12/2010	1/14/2011	1/14/2014	Current
Requalification Requirement 1					
Module 421		1/14/2011	Taught By IAMU		
Or Hands On 7.1 Pressure testing steel and plastic pipeline		7/30/2008	Taught By IAMU		
7.10 Reinforcing steel and plastic mains	4/19/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 463		1/14/2011	Taught By IAMU		
Or Hands On 7.10 Reinforcing steel and plastic mains					
7.11 Plastic pipe joining (fusion)	5/7/2002	3/31/2011	3/29/2012	3/29/2013	Current
Requalification Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)		3/29/2012	Taught By IAMU		
7.12 Plastic pipe joining (mechanical couplings)	5/7/2002	3/31/2011	3/29/2012	3/29/2015	Current
Requalification Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)		3/29/2012	Taught By IAMU		

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.13 Recognition of defective material	7/30/2002	2/12/2010	1/14/2011	1/14/2014	Current
Requalification Requirement 1					
Module 411		2/12/2010	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/5/2009	Taught By IAMU		
Requalification Requirement 2					
Module 412		2/12/2010	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/5/2009	Taught By IAMU		
Requalification Requirement 3					
Module 421		1/14/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/5/2009	Taught By IAMU		
7.15 Steel pipe joining by mechanical couplings	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 412		2/12/2010	Taught By IAMU		
Or Hands On 7.15 Steel pipe joining by mechanical couplings		7/30/2008	Taught By IAMU		
7.16 Damage prevention	4/18/2002	2/12/2010	1/14/2011	1/14/2014	Current
Requalification Requirement 1					
Module 462		1/14/2011	Taught By IAMU		
Or Hands On 7.16 Damage prevention					
7.17 Application of padding and shielding	4/19/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 453		2/12/2010	Taught By IAMU		
Or Hands On 7.17 Application of padding and shielding					
7.18 Replacing emergency valves	4/19/2002	9/14/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 441		1/14/2011	Taught By IAMU		
Or Hands On 7.18 Replacing emergency valves					
Requalification Requirement 2					
Module 511		1/14/2011	Taught By IAMU		
Or Hands On 7.18 Replacing emergency valves					
7.19 Installing meter sets	4/18/2002	2/12/2010	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 211		1/14/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		7/30/2008	Taught By IAMU		
Requalification Requirement 2					
Module 322		1/14/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		7/30/2008	Taught By IAMU		
Requalification Requirement 3					
Module 452		1/14/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		7/30/2008	Taught By IAMU		
7.2 Procedures for abandoning facilities	7/31/2002	1/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 471		2/12/2010	Taught By IAMU		
Or Hands On 7.2 Procedures for abandoning facilities					

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.20 Tapping and stopping steel pipe 1" through 4"	9/11/2002	7/30/2008	7/28/2011	7/28/2014	Current
Requalification Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"		7/28/2011	Taught By IAMU		
7.22 Tapping and stopping polyethylene pipe	5/7/2002	3/31/2011	3/29/2012	3/29/2017	Current
Requalification Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe		3/29/2012	Taught By IAMU		
7.23 Vault abandonment	7/31/2002	1/7/2011	12/14/2011	12/14/2014	Current
Requalification Requirement 1					
Module 471		2/12/2010	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
Requalification Requirement 2					
Module 501		12/14/2011	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
7.3 Cathodic protection (general)	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 7.3 Cathodic protection (general)		7/30/2008	Taught By IAMU		
7.4 Constructing facilities across streets, railroads, and waterways	4/19/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 453		2/12/2010	Taught By IAMU		
Or Hands On 7.4 Constructing facilities across streets, railroads, and waterways		7/30/2008	Taught By IAMU		
7.5 Operating thermite welder	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 7.5 Operating thermite welder		7/30/2008	Taught By IAMU		
7.6 Installing tracer wire	4/18/2002	2/12/2010	1/14/2011	1/14/2014	Current
Requalification Requirement 1					
Module 451		2/12/2010	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire					
Requalification Requirement 2					
Module 452		1/14/2011	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire					
7.7 Installing valves	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 451		2/12/2010	Taught By IAMU		
Or Hands On 7.7 Installing valves		7/30/2008	Taught By IAMU		
7.8 Steel and cast iron repair fittings	4/18/2002	1/11/2006	1/10/2011	1/10/2016	Current
Requalification Requirement 1					
Module 461		1/14/2011	Taught By IAMU		
Or Hands On 7.8 Steel and cast iron repair fittings					

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.9 Maintaining steel and cast iron mains	4/18/2002	2/12/2010	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 462		1/14/2011	Taught By IAMU		
Or Hands On 7.9 Maintaining steel and cast iron mains					
8.1 Operating backhoe	6/26/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 403		2/12/2010	Taught By IAMU		
Or Hands On 8.1 Operating backhoe		7/30/2008	Taught By IAMU		
8.2 Operating trencher	9/11/2002	7/30/2008	7/28/2011	7/28/2014	Current
Hands On 8.2 Operating trencher		7/28/2011	Taught By IAMU		
8.3 Operating boring equipment	9/11/2002	7/30/2008	8/1/2011	8/1/2014	Current
Requalification Requirement 1					
Hands On 8.3 Operating boring equipment		8/1/2011	Taught By IAMU		
8.4 Ditch and backfill inspection	6/26/2002	1/7/2011	12/14/2011	12/14/2014	Current
Requalification Requirement 1					
Module 404		12/14/2011	Taught By IAMU		
Or Hands On 8.4 Ditch and backfill inspection		7/30/2008	Taught By IAMU		
9.1 Metering	4/25/2002	4/25/2002	9/14/2006	9/14/2011	Expired
Original Requirement 1					
Hands On 9.1 Metering		9/14/2006	Taught By IAMU		
9.2 Odorization measurement and control	7/30/2002	9/14/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 251		1/14/2011	Taught By IAMU		
Or Hands On 9.2 Odorization measurement and control					
10.1 Cathodic protection	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.1 Cathodic protection		7/30/2008	Taught By IAMU		
10.10 Inspection, monitoring cathodic protection system	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.10 Inspection, monitoring cathodic protection system		7/30/2008	Taught By IAMU		
10.2 Internal corrosion	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.2 Internal corrosion					
10.3 External corrosion	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.3 External corrosion		7/30/2008	Taught By IAMU		

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.4 Atmospheric corrosion	7/30/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 202		2/12/2010	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion		7/30/2008	Taught By IAMU		
10.5 Coatings	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.5 Coatings		7/30/2008	Taught By IAMU		
10.6 Holiday detection (coating inspection)	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.6 Holiday detection (coating inspection)		9/14/2006	Taught By IAMU		
10.7 Painting and jacketing above ground facilities	9/11/2002	7/30/2008	7/28/2011	7/28/2014	Current
Requalification Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities		7/28/2011	Taught By IAMU		
10.8 Installation of cathodic protection (sacrificial anode system)	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.8 Installation of cathodic protection (sacrificial anode system)		7/30/2008	Taught By IAMU		
10.9 Installation of impressed current system	4/18/2002	7/30/2008	2/12/2010	2/12/2013	Current
Requalification Requirement 1					
Module 431		2/12/2010	Taught By IAMU		
Or Hands On 10.9 Installation of impressed current system					
11.1 Operating and maintaining differential odorant system	7/30/2002	9/14/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 251		1/14/2011	Taught By IAMU		
Or Hands On 11.1 Operating and maintaining differential odorant system					
11.2 Operating and maintaining injection odorant system	7/30/2002	9/14/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 251		1/14/2011	Taught By IAMU		
Or Hands On 11.2 Operating and maintaining injection odorant system					
11.3 Testing odorant level	7/30/2002	9/14/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 251		1/14/2011	Taught By IAMU		
Or Hands On 11.3 Testing odorant level		9/14/2006	Taught By IAMU		

Orange City Municipal Utilities

Gerry Bomgaars Operator Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.1 Operating valves (including emergency valves), regulators, and	7/31/2002	7/30/2008	1/14/2011	1/14/2016	Current
Module 244		1/14/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves		7/30/2008	Taught By IAMU		
Requalification Requirement 2					
Module 511		1/14/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves		7/30/2008	Taught By IAMU		
Requalification Requirement 3					
Module 512		1/14/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves		7/30/2008	Taught By IAMU		
12.2 Inspecting pressure regulating and limiting stations	7/31/2002	9/14/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 512		1/14/2011	Taught By IAMU		
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	4/19/2002	9/14/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 511		1/14/2011	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					
12.4 System uprating	7/31/2002	1/11/2006	1/14/2011	1/14/2016	Current
Requalification Requirement 1					
Module 521		1/14/2011	Taught By IAMU		
Or Hands On 12.4 System uprating					

Janet Brown Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 101		3/7/2012	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 102		3/7/2012	Taught By IAMU		
1.3 Recognizing emergency conditions	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 104		3/7/2012	Taught By IAMU		

Orange City Municipal Utilities

Janet Brown Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.5 Accident reporting	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		

Alan DeJong On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	3/29/2002	12/28/2010	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 101		1/6/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	3/29/2002	12/28/2010	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 102		1/6/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	3/29/2002	12/28/2010	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	3/29/2002	12/28/2010	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 104		1/6/2011	Taught By IAMU		
2.5 Accident reporting	3/29/2002	12/28/2010	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
4.5 Soil subsidence	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 201		1/6/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	5/1/2002	12/28/2010	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 221		1/6/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	2/3/2005	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 271		1/29/2008	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					

Orange City Municipal Utilities

Alan DeJong On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.4 Electronic gas detectors	7/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	6/4/2002	3/31/2006	1/10/2011	1/10/2016	Current
Requalification Requirement 1					
Module 232		1/10/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	7/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 261		1/6/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	6/4/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 241		1/6/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	7/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 272		1/6/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 301		12/14/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 311		12/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/19/2007	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 312		12/14/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 313		12/14/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					

Orange City Municipal Utilities

Alan DeJong On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.7 Pressure checks to establish gas service	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 321		12/14/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 322		12/14/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	6/25/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 101		1/6/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	6/25/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 102		1/6/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	6/25/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	6/25/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 104		1/6/2011	Taught By IAMU		
2.1 Documenting materials and installation records	7/30/2002	2/6/2007	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 402		9/10/2008	Taught By IAMU		
Or Hands On 2.1 Documenting materials and installation records		9/10/2008	Taught By IAMU		
2.2 Documenting maximum allowable operating pressure (MAOP)	7/30/2002	11/30/2011	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 421		12/14/2011	Taught By IAMU		
2.3 System up-rating	7/31/2002	2/6/2007	1/16/2012	1/16/2017	Current
Requalification Requirement 1					
Module 521		1/16/2012	Taught By IAMU		
Or Hands On 2.3 System up-rating					
2.4 Investigating and documenting line failure	4/18/2002	1/5/2009	11/30/2011	11/30/2014	Current
Requalification Requirement 1					
Module 462		11/30/2011	Taught By IAMU		
Or Hands On 2.4 Investigating and documenting line failure		9/10/2008	Taught By IAMU		

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.5 Accident reporting	6/25/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
3.1 Locating facilities using the conductive method	5/8/2002	2/6/2007	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 402		9/10/2008	Taught By IAMU		
Or Hands On 3.1 Locating facilities using the conductive method		9/10/2008	Taught By IAMU		
3.2 Locating facilities using the inductive method	5/8/2002	2/6/2007	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 402		9/10/2008	Taught By IAMU		
Or Hands On 3.2 Locating facilities using the inductive method					
3.3 Locating facilities using the inductive method (two persons)	5/8/2002	2/6/2007	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 402		9/10/2008	Taught By IAMU		
Or Hands On 3.3 Locating facilities using the inductive method (two persons)					
3.4 Determining depth through triangulation	5/8/2002	2/6/2007	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 402		9/10/2008	Taught By IAMU		
Or Hands On 3.4 Determining depth through triangulation		9/10/2008	Taught By IAMU		
3.5 System mapping	7/30/2002	2/6/2007	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 402		9/10/2008	Taught By IAMU		
Or Hands On 3.5 System mapping		9/10/2008	Taught By IAMU		
4.10 Purging safety	7/31/2002	9/10/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 422		1/7/2011	Taught By IAMU		
Or Hands On 4.10 Purging safety		9/10/2008	Taught By IAMU		
4.1 Personal protective equipment	6/25/2002	12/30/2009	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 111		1/16/2012	Taught By IAMU		
Or Hands On 4.1 Personal protective equipment					
4.11 Pressure testing steel and plastic pipeline	7/30/2002	11/30/2011	12/14/2011	12/14/2014	Current
Requalification Requirement 1					
Module 421		12/14/2011	Taught By IAMU		
Or Hands On 4.11 Pressure testing steel and plastic pipeline		9/10/2008	Taught By IAMU		
4.12 Abandoning facilities	7/31/2002	1/7/2011	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 471		1/16/2012	Taught By IAMU		
Or Hands On 4.12 Abandoning facilities		9/10/2008	Taught By IAMU		

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.13 Excavation safety	6/26/2002	12/14/2011	1/16/2012	1/16/2013	Current
Requalification Requirement 1					
Module 404		1/16/2012	Taught By IAMU		
Or Hands On 4.13 Excavation safety					
4.2 Power tool safety	6/25/2002	12/30/2009	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 121		1/16/2012	Taught By IAMU		
Or Hands On 4.2 Power tool safety					
4.3 Proper firefighting techniques	6/25/2002	1/30/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 122		1/6/2011	Taught By IAMU		
Or Hands On 4.3 Proper firefighting techniques					
4.4 Controlling the accidental release of gas	7/30/2002	12/30/2009	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 131		1/16/2012	Taught By IAMU		
Or Hands On 4.4 Controlling the accidental release of gas					
4.5 Soil subsidence	6/26/2002	12/29/2009	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 201		1/16/2012	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	7/30/2002	12/29/2009	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 202		1/16/2012	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
4.7 Recognizing unsafe meter sets	7/30/2002	1/30/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 211		1/6/2011	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets					
4.8 Confined space entry (vaults, etc.)	6/26/2002	1/16/2012	4/12/2012	4/12/2013	Current
Requalification Requirement 1					
Module 501		4/12/2012	Taught By IAMU		
Or Hands On 4.8 Confined space entry (vaults, etc.)					
4.9 Job site protection	6/26/2002	12/29/2009	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 401		1/16/2012	Taught By IAMU		
Or Hands On 4.9 Job site protection					
5.1 Leak classification	5/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 221		1/6/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.2 Procedures for leak surveys and patrols	10/4/2002	2/3/2005	12/29/2009	12/29/2014	Current
Requalification Requirement 1					
Module 271		12/29/2009	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/2/2002	2/3/2005	12/30/2009	12/30/2014	Current
Requalification Requirement 1					
Module 231					
Or Hands On 5.3 Combustible gas indicators		12/30/2009	Taught By IAMU		
5.4 Electronic gas detectors	7/1/2002	2/6/2005	3/4/2010	3/4/2015	Current
Requalification Requirement 1					
Module 231					
Or Hands On 5.4 Electronic gas detectors		3/4/2010	Taught By IAMU		
5.5 Flame ionization	6/4/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 232		1/6/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	7/1/2002	3/31/2006	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 261		9/10/2008	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging		9/10/2008	Taught By IAMU		
6.1 Carbon monoxide (CO) testing	6/4/2002	3/31/2006	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 241		9/10/2008	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing		9/10/2008	Taught By IAMU		
6.2 Investigating leaks	6/4/2002	3/31/2006	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Module 272		9/10/2008	Taught By IAMU		
Or Hands On 6.2 Investigating leaks		9/10/2008	Taught By IAMU		
6.3 Combustion and ventilation air requirements	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 301		12/14/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 311		12/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/19/2007	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.5 Gas-air adjustment	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 312		12/14/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 313		12/14/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 321		12/14/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 322		12/14/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
7.10 Reinforcing steel and plastic mains	4/19/2002	6/13/2007	1/16/2012	1/16/2017	Current
Requalification Requirement 1					
Module 463		1/16/2012	Taught By IAMU		
Or Hands On 7.10 Reinforcing steel and plastic mains					
7.1 Pressure testing steel and plastic pipeline	7/30/2002	11/30/2011	12/14/2011	12/14/2014	Current
Requalification Requirement 1					
Module 421		12/14/2011	Taught By IAMU		
Or Hands On 7.1 Pressure testing steel and plastic pipeline		9/16/2005	Taught By IAMU		
7.11 Plastic pipe joining (fusion)	5/7/2002	3/31/2011	3/29/2012	3/29/2013	Current
Requalification Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)		3/29/2012	Taught By IAMU		
7.12 Plastic pipe joining (mechanical couplings)	5/7/2002	3/31/2011	3/29/2012	3/29/2015	Current
Requalification Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)		3/29/2012	Taught By IAMU		
7.13 Recognition of defective material	7/30/2002	1/5/2009	12/21/2011	12/21/2014	Current
Requalification Requirement 1					
Module 411		12/21/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material					
Requalification Requirement 2					
Module 412		12/14/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material					
Requalification Requirement 3					
Module 421		12/14/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material					

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.14 Steel pipe joining by welding	3/19/2003	3/17/2011	3/15/2012	3/15/2013	Current
Requalification Requirement 1					
Hands On 7.14 Steel pipe joining by welding		3/15/2012	Taught By Steve Farnsworth ILCC		
7.15 Steel pipe joining by mechanical couplings	4/18/2002	11/30/2011	12/14/2011	12/14/2014	Current
Requalification Requirement 1					
Module 412		12/14/2011	Taught By IAMU		
Or Hands On 7.15 Steel pipe joining by mechanical couplings		9/14/2005	Taught By IAMU		
7.16 Damage prevention	4/18/2002	1/5/2009	11/30/2011	11/30/2014	Current
Requalification Requirement 1					
Module 462		11/30/2011	Taught By IAMU		
Or Hands On 7.16 Damage prevention					
7.17 Application of padding and shielding	4/19/2002	1/5/2009	11/30/2011	11/30/2014	Current
Requalification Requirement 1					
Module 453		11/30/2011	Taught By IAMU		
Or Hands On 7.17 Application of padding and shielding					
7.18 Replacing emergency valves	4/19/2002	9/10/2008	1/16/2012	1/16/2017	Current
Requalification Requirement 1					
Module 441		6/13/2007	Taught By IAMU		
Or Hands On 7.18 Replacing emergency valves		9/10/2008	Taught By IAMU		
Requalification Requirement 2					
Module 511		1/16/2012	Taught By IAMU		
Or Hands On 7.18 Replacing emergency valves		9/10/2008	Taught By IAMU		
7.19 Installing meter sets	10/7/2002	1/6/2011	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 211		1/6/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		9/16/2005	Taught By IAMU		
Requalification Requirement 2					
Module 322		12/14/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		9/16/2005	Taught By IAMU		
Requalification Requirement 3					
Module 452		9/10/2008	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		9/16/2005	Taught By IAMU		
7.20 Tapping and stopping steel pipe 1" through 4"	9/11/2002	8/13/2008	7/28/2011	7/28/2014	Current
Requalification Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"		7/28/2011	Taught By IAMU		
7.2 Procedures for abandoning facilities	7/31/2002	1/7/2011	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 471		1/16/2012	Taught By IAMU		
Or Hands On 7.2 Procedures for abandoning facilities		9/10/2008	Taught By IAMU		
7.22 Tapping and stopping polyethylene pipe	5/7/2002	3/31/2011	3/29/2012	3/29/2017	Current
Requalification Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe		3/29/2012	Taught By IAMU		

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.23 Vault abandonment	7/31/2002	1/16/2012	4/12/2012	4/12/2015	Current
Requalification Requirement 1					
Module 471		1/16/2012	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
Requalification Requirement 2					
Module 501		4/12/2012	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
7.3 Cathodic protection (general)	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 7.3 Cathodic protection (general)		9/14/2005	Taught By IAMU		
7.4 Constructing facilities across streets, railroads, and waterways	4/19/2002	1/5/2009	11/30/2011	11/30/2014	Current
Requalification Requirement 1					
Module 453		11/30/2011	Taught By IAMU		
Or Hands On 7.4 Constructing facilities across streets, railroads, and waterways					
7.5 Operating thermite welder	4/18/2002	9/10/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 7.5 Operating thermite welder		9/10/2008	Taught By IAMU		
7.6 Installing tracer wire	4/18/2002	9/10/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 451		1/7/2011	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		9/10/2008	Taught By IAMU		
Requalification Requirement 2					
Module 452		9/10/2008	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		9/10/2008	Taught By IAMU		
7.7 Installing valves	4/18/2002	9/10/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 451		1/7/2011	Taught By IAMU		
Or Hands On 7.7 Installing valves		9/10/2008	Taught By IAMU		
7.8 Steel and cast iron repair fittings	4/18/2002	8/1/2007	1/16/2012	1/16/2017	Current
Requalification Requirement 1					
Module 461		1/16/2012	Taught By IAMU		
Or Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains	4/18/2002	1/5/2009	11/30/2011	11/30/2016	Current
Requalification Requirement 1					
Module 462		11/30/2011	Taught By IAMU		
Or Hands On 7.9 Maintaining steel and cast iron mains					
8.1 Operating backhoe	6/26/2002	9/10/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 403		1/6/2011	Taught By IAMU		
Or Hands On 8.1 Operating backhoe		9/10/2008	Taught By IAMU		

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
8.2 Operating trencher	9/11/2002	8/28/2008	7/28/2011	7/28/2014	Current
Hands On 8.2 Operating trencher		7/28/2011	Taught By IAMU		
8.3 Operating boring equipment	9/11/2002	10/20/2008	11/12/2011	11/12/2014	Current
Requalification Requirement 1					
Hands On 8.3 Operating boring equipment		11/12/2011	Taught By IAMU		
8.4 Ditch and backfill inspection	6/26/2002	12/14/2011	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 404		1/16/2012	Taught By IAMU		
Or Hands On 8.4 Ditch and backfill inspection		9/16/2005	Taught By IAMU		
9.1 Metering	4/19/2002	4/19/2002	9/10/2008	9/10/2013	Current
Requalification Requirement 1					
Hands On 9.1 Metering		9/10/2008	Taught By IAMU		
9.2 Odorization measurement and control	7/30/2002	9/16/2005	12/29/2009	12/29/2014	Current
Requalification Requirement 1					
Module 251		12/29/2009	Taught By IAMU		
Or Hands On 9.2 Odorization measurement and control					
10.10 Inspection, monitoring cathodic protection system	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.10 Inspection, monitoring cathodic protection system					
10.1 Cathodic protection	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.1 Cathodic protection		9/14/2005	Taught By IAMU		
10.2 Internal corrosion	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.2 Internal corrosion					
10.3 External corrosion	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.3 External corrosion					
10.4 Atmospheric corrosion	7/30/2002	12/29/2009	1/16/2012	1/16/2015	Current
Requalification Requirement 1					
Module 202		1/16/2012	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					
10.5 Coatings	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.5 Coatings		9/14/2005	Taught By IAMU		

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.6 Holiday detection (coating inspection)	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.6 Holiday detection (coating inspection)		9/14/2005	Taught By IAMU		
10.7 Painting and jacketing above ground facilities	9/11/2002	7/28/2006	7/1/2009	7/1/2012	Current
Requalification Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities		7/1/2009	Taught By IAMU		
10.8 Installation of cathodic protection (sacrificial anode system)	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.8 Installation of cathodic protection (sacrificial anode system)		9/14/2005	Taught By IAMU		
10.9 Installation of impressed current system	4/18/2002	9/2/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 431		1/7/2011	Taught By IAMU		
Or Hands On 10.9 Installation of impressed current system					
11.1 Operating and maintaining differential odorant system	7/30/2002	9/16/2005	12/29/2009	12/29/2014	Current
Requalification Requirement 1					
Module 251		12/29/2009	Taught By IAMU		
Or Hands On 11.1 Operating and maintaining differential odorant system					
11.2 Operating and maintaining injection odorant system	7/30/2002	9/16/2005	12/29/2009	12/29/2014	Current
Requalification Requirement 1					
Module 251		12/29/2009	Taught By IAMU		
Or Hands On 11.2 Operating and maintaining injection odorant system					
11.3 Testing odorant level	7/30/2002	9/16/2005	12/29/2009	12/29/2014	Current
Requalification Requirement 1					
Module 251		12/29/2009	Taught By IAMU		
Or Hands On 11.3 Testing odorant level		9/16/2005	Taught By IAMU		

Orange City Municipal Utilities

Edwin DeJong Operator Welder Orange City

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.1 Operating valves (including emergency valves), regulators, and	7/31/2002	8/1/2007	1/16/2012	1/16/2017	Current
Module 244		1/16/2012	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 2					
Module 511		1/16/2012	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 3					
Module 512		1/16/2012	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
12.2 Inspecting pressure regulating and limiting stations	7/31/2002	8/1/2007	1/16/2012	1/16/2017	Current
Requalification Requirement 1					
Module 512		1/16/2012	Taught By IAMU		
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	4/19/2002	8/1/2007	1/16/2012	1/16/2017	Current
Requalification Requirement 1					
Module 511		1/16/2012	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves		9/16/2005	Taught By IAMU		
12.4 System uprating	7/31/2002	2/6/2007	1/16/2012	1/16/2017	Current
Requalification Requirement 1					
Module 521		1/16/2012	Taught By IAMU		
Or Hands On 12.4 System uprating					

Duane Feekes Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 101		3/7/2012	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 102		3/7/2012	Taught By IAMU		
1.3 Recognizing emergency conditions	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 104		3/7/2012	Taught By IAMU		

Orange City Municipal Utilities

Duane Feekes Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.5 Accident reporting	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		

Bryan Gerritson On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	3/28/2002	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 101		12/19/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	3/28/2002	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 102		12/19/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 103		12/19/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 104		12/19/2011	Taught By IAMU		
2.5 Accident reporting	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 103		12/19/2011	Taught By IAMU		
4.5 Soil subsidence	5/4/2004	3/11/2009	3/9/2010	3/9/2013	Current
Requalification Requirement 1					
Module 201		3/9/2010	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	1/30/2007	4/18/2008	3/11/2010	3/11/2013	Current
Requalification Requirement 1					
Module 202		3/11/2010	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 221		12/19/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 271		12/19/2011	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 231		12/19/2011	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					

Orange City Municipal Utilities

Bryan Gerritson On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.4 Electronic gas detectors	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 231		12/19/2011	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	3/8/2011		3/8/2011	3/8/2016	Current
Requalification Requirement 1					
Module 232		3/8/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	4/18/2008		4/18/2008	4/18/2013	Current
Requalification Requirement 1					
Module 261		4/18/2008	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging		4/18/2008	Taught By IAMU		
6.1 Carbon monoxide (CO) testing	1/30/2007	1/30/2007	12/19/2011	12/19/2016	Current
Requalification Requirement 1					
Module 241		12/19/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	4/18/2008		4/18/2008	4/18/2013	Current
Requalification Requirement 1					
Module 272		4/18/2008	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	4/18/2008		4/18/2008	4/18/2013	Current
Requalification Requirement 1					
Module 301		4/18/2008	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	3/8/2011		3/8/2011	3/8/2016	Current
Requalification Requirement 1					
Module 311		3/8/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		3/8/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	3/8/2011		3/8/2011	3/8/2016	Current
Requalification Requirement 1					
Module 312		3/8/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	3/8/2011		3/8/2011	3/8/2016	Current
Requalification Requirement 1					
Module 313		3/8/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					

Orange City Municipal Utilities

Bryan Gerritson On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.7 Pressure checks to establish gas service	4/18/2008		4/18/2008	4/18/2013	Current
Requalification Requirement 1					
Module 321		4/18/2008	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	4/18/2008	4/18/2008	3/11/2010	3/11/2015	Current
Requalification Requirement 1					
Module 322		3/11/2010	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	1/30/2007	4/18/2008	3/11/2010	3/11/2013	Current
Requalification Requirement 1					
Module 202		3/11/2010	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Mike Klootwyk On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	3/29/2002	2/10/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 101		1/7/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	3/29/2002	2/10/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 102		1/7/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	3/29/2002	2/10/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 103		1/7/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	3/29/2002	2/10/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 104		1/7/2011	Taught By IAMU		
2.5 Accident reporting	3/29/2002	2/10/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 103		1/7/2011	Taught By IAMU		
4.5 Soil subsidence	10/4/2002	1/29/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 201		1/7/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	10/4/2002	1/29/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 202		1/7/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	5/1/2002	3/31/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 221		1/7/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					

Orange City Municipal Utilities

Mike Klootwyk On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.2 Procedures for leak surveys and patrols	2/3/2005	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 271		1/29/2008	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	7/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	6/4/2002	3/31/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 232		1/7/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	7/1/2002	3/31/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 261		1/7/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	6/4/2002	3/31/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 241		1/7/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	7/1/2002	3/31/2006	1/7/2011	1/7/2016	Current
Requalification Requirement 1					
Module 272		1/7/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	7/30/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 301		12/14/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	7/30/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 311		12/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/19/2007	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					

Orange City Municipal Utilities

Mike Klootwyk On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.5 Gas-air adjustment	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 312		12/14/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 313		12/14/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 321		12/14/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 322		12/14/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	10/4/2002	1/29/2008	1/7/2011	1/7/2014	Current
Requalification Requirement 1					
Module 202		1/7/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Kirk Maasdam On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	11/24/2008		11/24/2008	11/24/2013	Current
Requalification Requirement 1					
Module 101		11/24/2008	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	11/24/2008		11/24/2008	11/24/2013	Current
Requalification Requirement 1					
Module 102		11/24/2008	Taught By IAMU		
1.3 Recognizing emergency conditions	11/26/2008		11/26/2008	11/26/2013	Current
Requalification Requirement 1					
Module 103		11/26/2008	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	11/26/2008		11/26/2008	11/26/2013	Current
Requalification Requirement 1					
Module 104		11/26/2008	Taught By IAMU		
2.5 Accident reporting	11/26/2008		11/26/2008	11/26/2013	Current
Requalification Requirement 1					
Module 103		11/26/2008	Taught By IAMU		
4.5 Soil subsidence	1/2/2009	1/2/2009	11/30/2011	11/30/2014	Current
Requalification Requirement 1					
Module 201		11/30/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					

Orange City Municipal Utilities

Kirk Maasdam On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.6 Atmospheric corrosion	1/2/2009	1/2/2009	11/30/2011	11/30/2014	Current
Requalification Requirement 1					
Module 202		11/30/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 221		1/2/2009	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 271		1/2/2009	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 231		1/2/2009	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 231		1/2/2009	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 232		1/2/2009	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 261		1/2/2009	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 241		1/2/2009	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	1/2/2009		1/2/2009	1/2/2014	Current
Requalification Requirement 1					
Module 272		1/2/2009	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	1/8/2009		1/8/2009	1/8/2014	Current
Requalification Requirement 1					
Module 301		1/8/2009	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					

Orange City Municipal Utilities

Kirk Maasdam On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.4 Pilot light operation	1/8/2009		1/8/2009	1/8/2014	Current
Requalification Requirement 1					
Module 311		1/8/2009	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/8/2009	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	1/8/2009		1/8/2009	1/8/2014	Current
Requalification Requirement 1					
Module 312		1/8/2009	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	1/8/2009		1/8/2009	1/8/2014	Current
Requalification Requirement 1					
Module 313		1/8/2009	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	1/8/2009		1/8/2009	1/8/2014	Current
Requalification Requirement 1					
Module 321		1/8/2009	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	1/8/2009		1/8/2009	1/8/2014	Current
Requalification Requirement 1					
Module 322		1/8/2009	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	1/2/2009	1/2/2009	11/30/2011	11/30/2014	Current
Requalification Requirement 1					
Module 202		11/30/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Barb Ramsey Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 101		3/7/2012	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 102		3/7/2012	Taught By IAMU		
1.3 Recognizing emergency conditions	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 104		3/7/2012	Taught By IAMU		

Orange City Municipal Utilities

Barb Ramsey Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.5 Accident reporting	5/2/2002	3/16/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		

Jerry Reuvers On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	5/2/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 101		1/6/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	5/2/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 102		1/6/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	5/2/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	5/2/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 104		1/6/2011	Taught By IAMU		
2.5 Accident reporting	5/2/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
4.5 Soil subsidence	9/9/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 201		1/6/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	9/9/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	5/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 221		1/6/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	1/6/2006	1/6/2006	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 271		1/29/2008	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/1/2002	1/19/2007	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					

Orange City Municipal Utilities

Jerry Reuvers On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.4 Electronic gas detectors	9/9/2002	1/19/2007	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	9/9/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 232		1/6/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	9/9/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 261		1/6/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	9/9/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 241		1/6/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	9/9/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 272		1/6/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	9/9/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 301		12/14/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	9/9/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 311		12/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/19/2007	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	9/9/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 312		12/14/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 313		12/14/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					

Orange City Municipal Utilities

Jerry Reuvers On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.7 Pressure checks to establish gas service	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 321		12/14/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 322		12/14/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	9/9/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Dave Sassman On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	1/18/2005	1/18/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 101		12/23/2009	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	1/18/2005	1/18/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 102		12/23/2009	Taught By IAMU		
1.3 Recognizing emergency conditions	1/18/2005	1/18/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 103		12/23/2009	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	1/18/2005	1/18/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 104		12/23/2009	Taught By IAMU		
2.5 Accident reporting	1/18/2005	1/18/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 103		12/23/2009	Taught By IAMU		
4.5 Soil subsidence	1/18/2005	1/29/2008	1/3/2011	1/3/2014	Current
Requalification Requirement 1					
Module 201		1/3/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	1/18/2005	1/29/2008	1/3/2011	1/3/2014	Current
Requalification Requirement 1					
Module 202		1/3/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	1/18/2005	3/31/2006	1/3/2011	1/3/2016	Current
Requalification Requirement 1					
Module 221		1/3/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					

Orange City Municipal Utilities

Dave Sassman On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.2 Procedures for leak surveys and patrols	1/19/2005	1/19/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 271		1/29/2008	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	1/18/2005	1/26/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	1/18/2005	1/26/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	1/18/2005	3/31/2006	1/3/2011	1/3/2016	Current
Requalification Requirement 1					
Module 232		1/3/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	1/19/2005	3/31/2006	1/3/2011	1/3/2016	Current
Requalification Requirement 1					
Module 261		1/3/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	1/18/2005	3/31/2006	1/3/2011	1/3/2016	Current
Requalification Requirement 1					
Module 241		1/3/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	1/19/2005	3/31/2006	1/3/2011	1/3/2016	Current
Requalification Requirement 1					
Module 272		1/3/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	1/19/2005	1/19/2005	8/29/2008	8/29/2013	Current
Requalification Requirement 1					
Module 301		8/29/2008	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	4/18/2008		4/18/2008	4/18/2013	Current
Requalification Requirement 1					
Module 311		4/18/2008	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		4/18/2008	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					

Orange City Municipal Utilities

Dave Sassman On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.5 Gas-air adjustment	1/6/2006	1/6/2006	1/3/2011	1/3/2016	Current
Requalification Requirement 1					
Module 312		1/3/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	1/26/2005	1/26/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 313		12/23/2009	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	1/26/2005	1/26/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 321		12/23/2009	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	1/19/2005	1/26/2005	12/23/2009	12/23/2014	Current
Requalification Requirement 1					
Module 322		12/23/2009	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	1/18/2005	1/29/2008	1/3/2011	1/3/2014	Current
Requalification Requirement 1					
Module 202		1/3/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Arlan Scholten On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	3/29/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 101		1/6/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	3/29/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 102		1/6/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	3/29/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	3/29/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 104		1/6/2011	Taught By IAMU		
2.5 Accident reporting	3/29/2002	2/10/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
4.5 Soil subsidence	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 201		1/6/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					

Orange City Municipal Utilities

Arlan Scholten On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.6 Atmospheric corrosion	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	5/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 221		1/6/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	2/3/2005	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 271		1/29/2008	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	7/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	6/4/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 232		1/6/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	7/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 261		1/6/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	6/4/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 241		1/6/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	7/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 272		1/6/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 301		12/14/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					

Orange City Municipal Utilities

Arlan Scholten On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.4 Pilot light operation	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 311		12/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/19/2007	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 312		12/14/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 313		12/14/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 321		12/14/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 322		12/14/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Josh Van Beek On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas					Not Taken
Original Requirement 1					
Module 101					
1.2 Potential ignition sources: indoor and outdoor					Not Taken
Original Requirement 1					
Module 102					
1.3 Recognizing emergency conditions					Not Taken
Original Requirement 1					
Module 103					
1.4 Recognizing and reporting natural gas leaks					Not Taken
Original Requirement 1					
Module 104					

Orange City Municipal Utilities

Josh Van Beek On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.5 Accident reporting					Not Taken
Original Requirement 1					
Module 103					
4.5 Soil subsidence					Not Taken
Original Requirement 1					
Module 201					
4.6 Atmospheric corrosion					Not Taken
Original Requirement 1					
Module 202					
5.1 Leak classification					Not Taken
Original Requirement 1					
Module 221					
5.2 Procedures for leak surveys and patrols	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 271		2/29/2012	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators					Not Taken
Original Requirement 1					
Module 231					
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors					Not Taken
Original Requirement 1					
Module 231					
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization					Not Taken
Original Requirement 1					
Module 232					
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 261		2/29/2012	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing					Not Taken
Original Requirement 1					
Module 241					
6.2 Investigating leaks	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 272		2/29/2012	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					

Orange City Municipal Utilities

Josh Van Beek On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.3 Combustion and ventilation air requirements	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 301		2/29/2012	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 311		2/29/2012	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		2/29/2012	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 312		2/29/2012	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 313		2/29/2012	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 321		2/29/2012	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	2/29/2012		2/29/2012	2/28/2017	Current
Requalification Requirement 1					
Module 322		2/29/2012	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion					Not Taken
Original Requirement 1					
Module 202					

Michael Verdoorn On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	3/29/2002	3/8/2007	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 101		1/6/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	3/29/2002	3/8/2007	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 102		1/6/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	3/29/2002	3/8/2007	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		

Orange City Municipal Utilities

Michael Verdoorn On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.4 Recognizing and reporting natural gas leaks	3/29/2002	3/8/2007	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 104		1/6/2011	Taught By IAMU		
2.5 Accident reporting	3/29/2002	3/8/2007	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 103		1/6/2011	Taught By IAMU		
4.5 Soil subsidence	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 201		1/6/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
5.1 Leak classification	5/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 221		1/6/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	2/3/2005	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 271		1/29/2008	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	7/1/2002	2/3/2005	1/29/2008	1/29/2013	Current
Requalification Requirement 1					
Module 231		1/29/2008	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	6/4/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 232		1/6/2011	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	1/9/2006	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 261		1/6/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging		1/9/2006	Taught By IAMU		
6.1 Carbon monoxide (CO) testing	6/4/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 241		1/6/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					

Orange City Municipal Utilities

Michael Verdoorn On Call Personnel

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.2 Investigating leaks	7/1/2002	3/31/2006	1/6/2011	1/6/2016	Current
Requalification Requirement 1					
Module 272		1/6/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 301		12/14/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	7/31/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 311		12/14/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		1/19/2007	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.5 Gas-air adjustment	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 312		12/14/2011	Taught By IAMU		
Or Hands On 6.5 Gas-air adjustment					
6.6 Appliance venting	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 313		12/14/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 321		12/14/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	9/6/2002	1/19/2007	12/14/2011	12/14/2016	Current
Requalification Requirement 1					
Module 322		12/14/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
10.4 Atmospheric corrosion	10/4/2002	1/29/2008	1/6/2011	1/6/2014	Current
Requalification Requirement 1					
Module 202		1/6/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Mary Wichers Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	3/29/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 101		3/7/2012	Taught By IAMU		

Mary Wichers Dispatch

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.2 Potential ignition sources: indoor and outdoor	3/29/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 102		3/7/2012	Taught By IAMU		
1.3 Recognizing emergency conditions	3/29/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	3/29/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 104		3/7/2012	Taught By IAMU		
2.5 Accident reporting	3/29/2002	3/6/2007	3/7/2012	3/7/2017	Current
Requalification Requirement 1					
Module 103		3/7/2012	Taught By IAMU		