

IAMU OQ Past Due And Expired Training Report

Corning Municipal Utilities

Gary Badgett Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
3.2 Locating facilities using the inductive method					Not Taken
Original Requirement 1					
Module 402		8/25/2011	Taught By IAMU		
Original Requirement 2					
Hands On 3.2 Locating facilities using the inductive method					
3.3 Locating facilities using the inductive method (two persons)					Not Taken
Original Requirement 1					
Module 402		8/25/2011	Taught By IAMU		
Original Requirement 2					
Hands On 3.3 Locating facilities using the inductive method (two persons)					
5.5 Flame ionization					Not Taken
Original Requirement 1					
Module 232					
Or Hands On 5.5 Flame ionization					
7.11 Plastic pipe joining (fusion)					Not Taken
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
9.1 Metering					Not Taken
Original Requirement 1					
Hands On 9.1 Metering					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		8/25/2011	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
11.1 Operating and maintaining differential odorant system					Not Taken
Original Requirement 1					
Module 251		7/15/2011	Taught By IAMU		
Original Requirement 2					
Hands On 11.1 Operating and maintaining differential odorant system					

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.1 Documenting materials and installation records	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		

Corning Municipal Utilities

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.2 Documenting maximum allowable operating pressure (MAOP)	3/4/2003		3/4/2003	3/4/2008	Expired
Original Requirement 1					
Module 421					
2.3 System up-rating	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 521		1/11/2006	Taught By IAMU		
2.4 Investigating and documenting line failure	1/25/2001	3/4/2003	1/11/2006	1/11/2009	Expired
Original Requirement 1					
Module 462		1/11/2006	Taught By IAMU		
3.1 Locating facilities using the conductive method					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.1 Locating facilities using the conductive method					
3.2 Locating facilities using the inductive method					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.2 Locating facilities using the inductive method					
3.3 Locating facilities using the inductive method (two persons)					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.3 Locating facilities using the inductive method (two persons)					
3.4 Determining depth through triangulation					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.4 Determining depth through triangulation					
3.5 System mapping	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
4.1 Personal protective equipment	1/25/2001	3/4/2003	1/18/2005	1/18/2008	Expired
Original Requirement 1					
Module 111					
4.10 Purging safety	3/4/2003		3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 422					
4.11 Pressure testing steel and plastic pipeline	3/4/2003		3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 421					

Corning Municipal Utilities

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.12 Abandoning facilities	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 471					
4.13 Excavation safety	1/25/2001	1/25/2001	3/4/2003	3/4/2004	Expired
Original Requirement 1					
Module 404					
4.2 Power tool safety	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 121					
4.3 Proper firefighting techniques	1/25/2001	3/6/2003	3/15/2005	3/15/2008	Expired
Original Requirement 1					
Module 122					
4.4 Controlling the accidental release of gas	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 131					
4.5 Soil subsidence	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 201					
4.8 Confined space entry (vaults, etc.)	1/25/2001	1/6/2010	1/5/2011	1/5/2012	Expired
Original Requirement 1					
Module 501		1/5/2011	Taught By IAMU		
5.2 Procedures for leak surveys and patrols	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 271		1/11/2006	Taught By IAMU		
5.3 Combustible gas indicators	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 231		1/11/2006	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 231		1/11/2006	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 232		1/11/2006	Taught By IAMU		
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 261		1/11/2006	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 241		1/11/2006	Taught By IAMU		

Corning Municipal Utilities

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.2 Investigating leaks	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 272		1/11/2006	Taught By IAMU		
6.3 Combustion and ventilation air requirements	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 301		1/11/2006	Taught By IAMU		
6.6 Appliance venting	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 313		1/11/2006	Taught By IAMU		
6.7 Pressure checks to establish gas service	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 321		1/11/2006	Taught By IAMU		
6.8 Establishing and disconnecting gas	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 322		1/11/2006	Taught By IAMU		
7.1 Pressure testing steel and plastic pipeline	3/4/2003		3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 421					
7.10 Reinforcing steel and plastic mains	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 463		1/11/2006	Taught By IAMU		
7.11 Plastic pipe joining (fusion)					Not Taken
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
7.12 Plastic pipe joining (mechanical couplings)					Not Taken
Original Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)					
7.13 Recognition of defective material					Not Taken
Original Requirement 1					
Module 411					
Original Requirement 2					
Module 412					
Original Requirement 3					
Module 421					
7.15 Steel pipe joining by mechanical couplings					Not Taken
Original Requirement 1					
Module 412					
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					
7.16 Damage prevention	1/25/2001	3/4/2003	1/11/2006	1/11/2009	Expired
Original Requirement 1					
Module 462		1/11/2006	Taught By IAMU		

Corning Municipal Utilities

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.17 Application of padding and shielding	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 453					
7.18 Replacing emergency valves	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 441		1/11/2006	Taught By IAMU		
Original Requirement 2					
Module 511		1/11/2006	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					
7.19 Installing meter sets	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 211		3/9/2011	Taught By IAMU		
Original Requirement 2					
Module 322		1/11/2006	Taught By IAMU		
Original Requirement 3					
Module 452		1/11/2006	Taught By IAMU		
7.20 Tapping and stopping steel pipe 1" through 4"					Not Taken
Original Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"					
7.2 Procedures for abandoning facilities	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 471					
7.22 Tapping and stopping polyethylene pipe					Not Taken
Original Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe					
7.23 Vault abandonment	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 471					
Original Requirement 2					
Module 501		1/5/2011	Taught By IAMU		
7.3 Cathodic protection (general)	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
7.4 Constructing facilities across streets, railroads, and waterways	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 453					
7.5 Operating thermite welder					Not Taken
Module 431					
Original Requirement 2					
Hands On 7.5 Operating thermite welder					

Corning Municipal Utilities

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.6 Installing tracer wire	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 451					
Original Requirement 2 Module 452		1/11/2006	Taught By IAMU		
7.7 Installing valves	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 451					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1 Module 461		1/11/2006	Taught By IAMU		
Original Requirement 2 Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1 Module 462		1/11/2006	Taught By IAMU		
8.1 Operating backhoe					Not Taken
Original Requirement 1 Module 403		2/17/2010	Taught By IAMU		
Original Requirement 2 Hands On 8.1 Operating backhoe					
8.2 Operating trencher					Not Taken
Original Requirement 1 Hands On 8.2 Operating trencher					
8.3 Operating boring equipment					Not Taken
Original Requirement 1 Hands On 8.3 Operating boring equipment					
8.4 Ditch and backfill inspection	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 404					
9.1 Metering					Not Taken
Original Requirement 1 Hands On 9.1 Metering					
9.2 Odorization measurement and control	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1 Module 251		1/11/2006	Taught By IAMU		
10.10 Inspection, monitoring cathodic protection system	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 431					
10.1 Cathodic protection	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 431					

Corning Municipal Utilities

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.2 Internal corrosion	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.3 External corrosion	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.5 Coatings	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431					
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
10.8 Installation of cathodic protection (sacrificial anode system)	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.9 Installation of impressed current system	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
11.1 Operating and maintaining differential odorant system					Not Taken
Original Requirement 1					
Module 251		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 11.1 Operating and maintaining differential odorant system					
11.2 Operating and maintaining injection odorant system					Not Taken
Original Requirement 1					
Module 251		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 11.2 Operating and maintaining injection odorant system					
11.3 Testing odorant level					Not Taken
Original Requirement 1					
Module 251		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 11.3 Testing odorant level					

Corning Municipal Utilities

Tim Cooney Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.1 Operating valves (including emergency valves), regulators, and	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 244		1/11/2006	Taught By IAMU		
Original Requirement 2					
Module 511		1/11/2006	Taught By IAMU		
Original Requirement 3					
Module 512		1/11/2006	Taught By IAMU		
12.2 Inspecting pressure regulating and limiting stations	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 512		1/11/2006	Taught By IAMU		
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 511		1/11/2006	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					
12.4 System uprating	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 521		1/11/2006	Taught By IAMU		

Nick Drake Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.11 Plastic pipe joining (fusion)					Not Taken
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
7.13 Recognition of defective material					Not Taken
Original Requirement 1					
Module 411					
Original Requirement 2					
Module 412		9/14/2011	Taught By IAMU		
Original Requirement 3					
Module 421		9/14/2011	Taught By IAMU		
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		9/14/2011	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.1 Documenting materials and installation records	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		

Corning Municipal Utilities

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.2 Documenting maximum allowable operating pressure (MAOP)					Not Taken
Original Requirement 1					
Module 421					
2.3 System up-rating	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 521		1/11/2006	Taught By IAMU		
2.4 Investigating and documenting line failure	1/25/2001	3/4/2003	1/11/2006	1/11/2009	Expired
Original Requirement 1					
Module 462		1/11/2006	Taught By IAMU		
3.1 Locating facilities using the conductive method					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.1 Locating facilities using the conductive method					
3.2 Locating facilities using the inductive method					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.2 Locating facilities using the inductive method					
3.3 Locating facilities using the inductive method (two persons)					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.3 Locating facilities using the inductive method (two persons)					
3.4 Determining depth through triangulation					Not Taken
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 3.4 Determining depth through triangulation					
3.5 System mapping	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 402		1/11/2006	Taught By IAMU		
4.1 Personal protective equipment	1/23/2003	3/4/2003	1/18/2005	1/18/2008	Expired
Original Requirement 1					
Module 111					
4.10 Purging safety	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 422					
4.11 Pressure testing steel and plastic pipeline					Not Taken
Original Requirement 1					
Module 421					

Corning Municipal Utilities

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.12 Abandoning facilities	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 471					
4.13 Excavation safety	1/25/2001	1/25/2001	3/4/2003	3/4/2004	Expired
Original Requirement 1					
Module 404					
4.2 Power tool safety	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 121					
4.3 Proper firefighting techniques	1/25/2001		1/25/2001	1/25/2004	Expired
Original Requirement 1					
Module 122					
4.4 Controlling the accidental release of gas	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 131					
4.5 Soil subsidence	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 201					
4.9 Job site protection	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 401					
5.2 Procedures for leak surveys and patrols	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 271			1/11/2006	Taught By IAMU	
5.3 Combustible gas indicators	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 231			1/11/2006	Taught By IAMU	
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 231			1/11/2006	Taught By IAMU	
Or Hands On 5.4 Electronic gas detectors					
5.5 Flame ionization	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 232			1/11/2006	Taught By IAMU	
Or Hands On 5.5 Flame ionization					
5.6 Bar hole testing and purging	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 261			1/11/2006	Taught By IAMU	
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 241			1/11/2006	Taught By IAMU	

Corning Municipal Utilities

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.2 Investigating leaks	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 272		1/11/2006	Taught By IAMU		
6.3 Combustion and ventilation air requirements	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 301		1/11/2006	Taught By IAMU		
6.6 Appliance venting	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 313		1/11/2006	Taught By IAMU		
6.7 Pressure checks to establish gas service	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 321		1/11/2006	Taught By IAMU		
6.8 Establishing and disconnecting gas	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 322		1/11/2006	Taught By IAMU		
7.1 Pressure testing steel and plastic pipeline					Not Taken
Original Requirement 1					
Module 421					
7.10 Reinforcing steel and plastic mains	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 463		1/11/2006	Taught By IAMU		
7.11 Plastic pipe joining (fusion)					Not Taken
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
7.12 Plastic pipe joining (mechanical couplings)					Not Taken
Original Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)					
7.13 Recognition of defective material					Not Taken
Original Requirement 1					
Module 411					
Original Requirement 2					
Module 412					
Original Requirement 3					
Module 421					
7.15 Steel pipe joining by mechanical couplings					Not Taken
Original Requirement 1					
Module 412					
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					
7.16 Damage prevention	1/25/2001	3/4/2003	1/11/2006	1/11/2009	Expired
Original Requirement 1					
Module 462		1/11/2006	Taught By IAMU		

Corning Municipal Utilities

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.17 Application of padding and shielding	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 453					
7.18 Replacing emergency valves	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 441		1/11/2006	Taught By IAMU		
Original Requirement 2					
Module 511		1/11/2006	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					
7.19 Installing meter sets	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 211		3/10/2011	Taught By IAMU		
Original Requirement 2					
Module 322		1/11/2006	Taught By IAMU		
Original Requirement 3					
Module 452		1/11/2006	Taught By IAMU		
7.2 Procedures for abandoning facilities	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 471					
7.20 Tapping and stopping steel pipe 1" through 4"					Not Taken
Original Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"					
7.22 Tapping and stopping polyethylene pipe					Not Taken
Original Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe					
7.23 Vault abandonment	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 471					
Original Requirement 2					
Module 501		1/17/2012	Taught By IAMU		
7.3 Cathodic protection (general)	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
7.4 Constructing facilities across streets, railroads, and waterways	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 453					
7.5 Operating thermite welder					Not Taken
Module 431					
Original Requirement 2					
Hands On 7.5 Operating thermite welder					

Corning Municipal Utilities

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.6 Installing tracer wire	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 451					
Original Requirement 2 Module 452		1/11/2006	Taught By IAMU		
7.7 Installing valves	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 451					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1 Module 461		1/11/2006	Taught By IAMU		
Original Requirement 2 Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains	3/4/2003	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1 Module 462		1/11/2006	Taught By IAMU		
8.1 Operating backhoe					Not Taken
Original Requirement 1 Module 403					
Original Requirement 2 Hands On 8.1 Operating backhoe					
8.2 Operating trencher					Not Taken
Original Requirement 1 Hands On 8.2 Operating trencher					
8.3 Operating boring equipment					Not Taken
Original Requirement 1 Hands On 8.3 Operating boring equipment					
8.4 Ditch and backfill inspection	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 404					
9.1 Metering					Not Taken
Original Requirement 1 Hands On 9.1 Metering					
9.2 Odorization measurement and control	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1 Module 251		1/11/2006	Taught By IAMU		
10.10 Inspection, monitoring cathodic protection system	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 431					
10.1 Cathodic protection	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1 Module 431					

Corning Municipal Utilities

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.2 Internal corrosion	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.3 External corrosion	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.5 Coatings	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431					
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
10.8 Installation of cathodic protection (sacrificial anode system)	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
10.9 Installation of impressed current system	1/25/2001	1/25/2001	3/4/2003	3/4/2006	Expired
Original Requirement 1					
Module 431					
11.1 Operating and maintaining differential odorant system					Not Taken
Original Requirement 1					
Module 251		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 11.1 Operating and maintaining differential odorant system					
11.2 Operating and maintaining injection odorant system					Not Taken
Original Requirement 1					
Module 251		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 11.2 Operating and maintaining injection odorant system					
11.3 Testing odorant level					Not Taken
Original Requirement 1					
Module 251		1/11/2006	Taught By IAMU		
Original Requirement 2					
Hands On 11.3 Testing odorant level					

Corning Municipal Utilities

Mike Goldsmith Operator Corning

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.1 Operating valves (including emergency valves), regulators, and	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 244		1/11/2006	Taught By IAMU		
Original Requirement 2					
Module 511		1/11/2006	Taught By IAMU		
Original Requirement 3					
Module 512		1/11/2006	Taught By IAMU		
12.2 Inspecting pressure regulating and limiting stations	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 512		1/11/2006	Taught By IAMU		
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	1/25/2001	3/4/2003	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 511		1/11/2006	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					
12.4 System uprating	1/25/2001	1/25/2001	1/11/2006	1/11/2011	Expired
Original Requirement 1					
Module 521		1/11/2006	Taught By IAMU		