

IAMU OQ Past Due And Expired Training Report

Guthrie Center Municipal Utilities

Craig Kintz Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.2 Documenting maximum allowable operating pressure (MAOP)					Not Taken
Original Requirement 1					
Module 421					
2.3 System up-rating					Not Taken
Original Requirement 1					
Module 521					
2.4 Investigating and documenting line failure					Not Taken
Original Requirement 1					
Module 462					
4.1 Personal protective equipment					Not Taken
Original Requirement 1					
Module 111					
4.10 Purging safety					Not Taken
Original Requirement 1					
Module 422					
4.11 Pressure testing steel and plastic pipeline					Not Taken
Original Requirement 1					
Module 421					
4.12 Abandoning facilities					Not Taken
Original Requirement 1					
Module 471					
4.2 Power tool safety					Not Taken
Original Requirement 1					
Module 121					
4.3 Proper firefighting techniques					Not Taken
Original Requirement 1					
Module 122					
4.8 Confined space entry (vaults, etc.)					Not Taken
Original Requirement 1					
Module 501					
4.9 Job site protection					Not Taken
Original Requirement 1					
Module 401					
6.4 Pilot light operation					Not Taken
Original Requirement 1					
Module 311					
Original Requirement 2					
Module 324					

Guthrie Center Municipal Utilities

Craig Kintz Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.5 Gas-air adjustment					Not Taken
Original Requirement 1					
Module 312					
6.6 Appliance venting					Not Taken
Original Requirement 1					
Module 313					
7.1 Pressure testing steel and plastic pipeline					Not Taken
Original Requirement 1					
Module 421					
7.10 Reinforcing steel and plastic mains					Not Taken
Original Requirement 1					
Module 463					
7.11 Plastic pipe joining (fusion)					Not Taken
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
7.12 Plastic pipe joining (mechanical couplings)					Not Taken
Original Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)					
7.13 Recognition of defective material					Not Taken
Original Requirement 1					
Module 411					
Original Requirement 2					
Module 412					
Original Requirement 3					
Module 421					
7.15 Steel pipe joining by mechanical couplings					Not Taken
Original Requirement 1					
Module 412					
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					
7.16 Damage prevention					Not Taken
Original Requirement 1					
Module 462					
7.17 Application of padding and shielding					Not Taken
Original Requirement 1					
Module 453					
7.18 Replacing emergency valves					Not Taken
Original Requirement 1					
Module 441					
Original Requirement 2					
Module 511					
Or Hands On 12.3 Inspecting and maintaining key valves					

Guthrie Center Municipal Utilities

Craig Kintz Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.2 Procedures for abandoning facilities					Not Taken
Original Requirement 1					
Module 471					
7.20 Tapping and stopping steel pipe 1" through 4"	2/1/2008		2/1/2008	2/1/2011	Expired
Original Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"		2/1/2008	Taught By IAMU		
7.22 Tapping and stopping polyethylene pipe					Not Taken
Original Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe					
7.23 Vault abandonment					Not Taken
Original Requirement 1					
Module 471					
Original Requirement 2					
Module 501					
7.4 Constructing facilities across streets, railroads, and waterways					Not Taken
Original Requirement 1					
Module 453					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461					
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains					Not Taken
Original Requirement 1					
Module 462					
8.1 Operating backhoe					Not Taken
Original Requirement 1					
Module 403					
Original Requirement 2					
Hands On 8.1 Operating backhoe					
8.2 Operating trencher					Not Taken
Original Requirement 1					
Hands On 8.2 Operating trencher					
8.3 Operating boring equipment					Not Taken
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
9.1 Metering					Not Taken
Original Requirement 1					
Hands On 9.1 Metering					
9.2 Odorization measurement and control					Not Taken
Original Requirement 1					
Module 251					

Guthrie Center Municipal Utilities

Craig Kintz Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		2/24/2011	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
11.1 Operating and maintaining differential odorant system					Not Taken
Original Requirement 1					
Module 251					
Original Requirement 2					
Hands On 11.1 Operating and maintaining differential odorant system					
11.3 Testing odorant level					Not Taken
Original Requirement 1					
Module 251					
Original Requirement 2					
Hands On 11.3 Testing odorant level		2/1/2008	Taught By IAMU		
12.1 Operating valves (including emergency valves), regulators, and					Not Taken
Original Requirement 1					
Module 244					
Original Requirement 2					
Module 511					
Original Requirement 3					
Module 512					
12.2 Inspecting pressure regulating and limiting stations					Not Taken
Original Requirement 1					
Module 512					
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves					Not Taken
Original Requirement 1					
Module 511					
Or Hands On 12.3 Inspecting and maintaining key valves					
12.4 System uprating					Not Taken
Original Requirement 1					
Module 521					

Gary McCool Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
----------------	---------------	------------------	----------------	-------------	--------

Guthrie Center Municipal Utilities

Gary McCool Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.8 Confined space entry (vaults, etc.)	1/25/2001	1/25/2001	1/14/2004	1/14/2005	Expired
Original Requirement 1					
Module 501					
7.11 Plastic pipe joining (fusion)					Not Taken
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
7.20 Tapping and stopping steel pipe 1" through 4"					Not Taken
Original Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"					
7.23 Vault abandonment	1/25/2001	1/25/2001	1/14/2004	1/14/2007	Expired
Original Requirement 1					
Module 471		1/29/2010	Taught By IAMU		
Original Requirement 2					
Module 501					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461		1/23/2012	Taught By IAMU		
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
8.1 Operating backhoe					Not Taken
Original Requirement 1					
Module 403		1/29/2010	Taught By IAMU		
Original Requirement 2					
Hands On 8.1 Operating backhoe					
8.2 Operating trencher	10/12/2000		10/12/2000	10/12/2003	Expired
Original Requirement 1					
Hands On 8.2 Operating trencher					
8.3 Operating boring equipment	10/12/2000		10/12/2000	10/12/2003	Expired
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
9.1 Metering	9/14/2006		9/14/2006	9/14/2011	Expired
Original Requirement 1					
Hands On 9.1 Metering		9/14/2006	Taught By IAMU		
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
11.1 Operating and maintaining differential odorant system					Not Taken
Original Requirement 1					
Module 251		1/14/2011	Taught By IAMU		
Original Requirement 2					
Hands On 11.1 Operating and maintaining differential odorant system					

Guthrie Center Municipal Utilities

Bill Slater Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.8 Confined space entry (vaults, etc.)	1/22/2001	1/22/2001	1/14/2004	1/14/2005	Expired
Original Requirement 1					
Module 501					
7.11 Plastic pipe joining (fusion)					Not Taken
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)					
7.20 Tapping and stopping steel pipe 1" through 4"					Not Taken
Original Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"					
7.23 Vault abandonment	1/22/2001	1/22/2001	1/14/2004	1/14/2007	Expired
Original Requirement 1					
Module 471		1/29/2010	Taught By IAMU		
Original Requirement 2					
Module 501					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461		1/23/2012	Taught By IAMU		
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
8.1 Operating backhoe					Not Taken
Original Requirement 1					
Module 403		1/29/2010	Taught By IAMU		
Original Requirement 2					
Hands On 8.1 Operating backhoe					
8.2 Operating trencher	10/12/2000		10/12/2000	10/12/2003	Expired
Original Requirement 1					
Hands On 8.2 Operating trencher					
8.3 Operating boring equipment	10/12/2000		10/12/2000	10/12/2003	Expired
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
9.1 Metering					Not Taken
Original Requirement 1					
Hands On 9.1 Metering					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		1/29/2010	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					

Guthrie Center Municipal Utilities

Bill Slater Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
11.1 Operating and maintaining differential odorant system					Not Taken
Original Requirement 1					
Module 251		1/14/2011	Taught By IAMU		
Original Requirement 2					
Hands On 11.1 Operating and maintaining differential odorant system					
11.3 Testing odorant level					Not Taken
Original Requirement 1					
Module 251		1/14/2011	Taught By IAMU		
Original Requirement 2					
Hands On 11.3 Testing odorant level					

Erick Van Cura Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.8 Confined space entry (vaults, etc.)	1/25/2001	1/14/2004	5/10/2007	5/10/2008	Expired
Original Requirement 1					
Module 501		5/10/2007	Taught By IAMU		
7.11 Plastic pipe joining (fusion)	4/25/2001	4/25/2001	5/8/2007	5/8/2008	Expired
Original Requirement 1					
Hands On 7.11 Plastic pipe joining (fusion)		5/8/2007	Taught By IAMU		
7.20 Tapping and stopping steel pipe 1" through 4"					Not Taken
Original Requirement 1					
Hands On 7.20 Tapping and stopping steel pipe 1" through 4"					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461		4/5/2011	Taught By IAMU		
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
8.2 Operating trencher	10/12/2000	9/14/2006	5/10/2007	5/10/2010	Expired
Original Requirement 1					
Hands On 8.2 Operating trencher		5/10/2007	Taught By IAMU		
8.3 Operating boring equipment	10/12/2000		10/12/2000	10/12/2003	Expired
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
9.1 Metering	4/25/2001	9/14/2006	5/10/2007	5/10/2012	Expired
Original Requirement 1					
Hands On 9.1 Metering		5/10/2007	Taught By IAMU		
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					

Guthrie Center Municipal Utilities

Erick Van Cura Operator Guthrie Center

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
11.1 Operating and maintaining differential odorant system					Not Taken
Original Requirement 1					
Module 251		4/5/2011	Taught By IAMU		
Original Requirement 2					
Hands On 11.1 Operating and maintaining differential odorant system					