

IAMU OQ Required Training Report

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	5/24/2011	5/24/2011	9/8/2011	9/8/2016	Current
Requalification Requirement 1					
Module 101		9/8/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	5/24/2011	5/24/2011	9/8/2011	9/8/2016	Current
Requalification Requirement 1					
Module 102		9/8/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	5/24/2011	9/8/2011	5/2/2012	5/2/2017	Current
Requalification Requirement 1					
Module 103		5/2/2012	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	5/24/2011	5/24/2011	9/8/2011	9/8/2016	Current
Requalification Requirement 1					
Module 104		9/8/2011	Taught By IAMU		
2.1 Documenting materials and installation records	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Or Hands On 2.1 Documenting materials and installation records					
2.2 Documenting maximum allowable operating pressure (MAOP)	6/9/2011		6/9/2011	6/9/2016	Current
Requalification Requirement 1					
Module 421		6/9/2011	Taught By IAMU		
2.4 Investigating and documenting line failure	6/15/2011	6/15/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 462		9/8/2011	Taught By IAMU		
Or Hands On 2.4 Investigating and documenting line failure					
2.5 Accident reporting	5/24/2011	9/8/2011	5/2/2012	5/2/2017	Current
Requalification Requirement 1					
Module 103		5/2/2012	Taught By IAMU		
3.1 Locating facilities using the conductive method					Not Taken
Original Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Original Requirement 2					
Hands On 3.1 Locating facilities using the conductive method					
3.3 Locating facilities using the inductive method (two persons)					Not Taken
Original Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Original Requirement 2					
Hands On 3.3 Locating facilities using the inductive method (two persons)					

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
3.4 Determining depth through triangulation					Not Taken
Original Requirement 1 Module 402		5/26/2011	Taught By IAMU		
Original Requirement 2 Hands On 3.4 Determining depth through triangulation					
3.5 System mapping	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1 Module 402		5/26/2011	Taught By IAMU		
Or Hands On 3.5 System mapping					
4.1 Personal protective equipment	1/18/2012		1/18/2012	1/18/2015	Current
Requalification Requirement 1 Module 111		1/18/2012	Taught By IAMU		
Or Hands On 4.1 Personal protective equipment					
4.10 Purging safety	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1 Module 422		9/8/2011	Taught By IAMU		
Or Hands On 4.10 Purging safety		9/8/2011	Taught By IAMU		
4.11 Pressure testing steel and plastic pipeline	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1 Module 421		6/9/2011	Taught By IAMU		
Or Hands On 4.11 Pressure testing steel and plastic pipeline					
4.12 Abandoning facilities	6/17/2011	6/17/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1 Module 471		9/8/2011	Taught By IAMU		
Or Hands On 4.12 Abandoning facilities		9/8/2011	Taught By IAMU		
4.13 Excavation safety	9/8/2011	9/8/2011	5/2/2012	5/2/2013	Current
Requalification Requirement 1 Module 404		5/2/2012	Taught By IAMU		
Or Hands On 4.13 Excavation safety		5/2/2012	Taught By IAMU		
4.2 Power tool safety					Not Taken
Original Requirement 1 Module 121					
4.3 Proper firefighting techniques	9/8/2011		9/8/2011	9/8/2014	Current
Requalification Requirement 1 Module 122		9/8/2011	Taught By IAMU		
Or Hands On 4.3 Proper firefighting techniques		9/8/2011	Taught By IAMU		
4.4 Controlling the accidental release of gas	5/25/2011	9/8/2011	5/2/2012	5/2/2015	Current
Requalification Requirement 1 Module 131		5/2/2012	Taught By IAMU		
Or Hands On 4.4 Controlling the accidental release of gas		5/2/2012	Taught By IAMU		

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.5 Soil subsidence	5/25/2011		5/25/2011	5/25/2014	Current
Requalification Requirement 1					
Module 201		5/25/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	5/25/2011	5/25/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 202		9/8/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion		9/8/2011	Taught By IAMU		
4.7 Recognizing unsafe meter sets	5/24/2011		5/24/2011	5/24/2014	Current
Requalification Requirement 1					
Module 211		5/24/2011	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets					
4.8 Confined space entry (vaults, etc.)	6/17/2011	5/2/2012	5/8/2012	5/8/2013	Current
Requalification Requirement 1					
Module 501		5/8/2012	Taught By IAMU		
Or Hands On 4.8 Confined space entry (vaults, etc.)		5/2/2012	Taught By IAMU		
4.9 Job site protection	5/26/2011		5/26/2011	5/26/2014	Current
Requalification Requirement 1					
Module 401		5/26/2011	Taught By IAMU		
Or Hands On 4.9 Job site protection					
5.1 Leak classification	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 221		5/25/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	5/24/2011		5/24/2011	5/24/2016	Current
Requalification Requirement 1					
Module 271		5/24/2011	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 231		5/25/2011	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					
5.4 Electronic gas detectors	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 231		5/25/2011	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.6 Bar hole testing and purging	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 261		5/25/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
6.1 Carbon monoxide (CO) testing	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 241		5/25/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 272		5/25/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 301		5/26/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 311		5/26/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		5/26/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.6 Appliance venting	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 313		5/26/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 321		5/26/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 322		5/26/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
7.10 Reinforcing steel and plastic mains					Not Taken
Original Requirement 1					
Module 463					
7.1 Pressure testing steel and plastic pipeline	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 421		6/9/2011	Taught By IAMU		
Or Hands On 7.1 Pressure testing steel and plastic pipeline					
7.12 Plastic pipe joining (mechanical couplings)	1/25/2012	1/25/2012	5/1/2012	5/1/2015	Current
Requalification Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)		5/1/2012	Taught By IAMU		

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.13 Recognition of defective material	6/9/2011	9/8/2011	5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 411		5/2/2012	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/2/2012	Taught By IAMU		
Requalification Requirement 2					
Module 412		6/9/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/2/2012	Taught By IAMU		
Requalification Requirement 3					
Module 421		6/9/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/2/2012	Taught By IAMU		
7.15 Steel pipe joining by mechanical couplings					Not Taken
Original Requirement 1					
Module 412		6/9/2011	Taught By IAMU		
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					
7.16 Damage prevention	6/15/2011	6/15/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 462		9/8/2011	Taught By IAMU		
Or Hands On 7.16 Damage prevention					
7.17 Application of padding and shielding					Not Taken
Original Requirement 1					
Module 453					
7.18 Replacing emergency valves					Not Taken
Original Requirement 1					
Module 441					
Original Requirement 2					
Module 511		6/17/2011	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					
7.19 Installing meter sets	9/8/2011	9/8/2011	5/2/2012	5/2/2017	Current
Requalification Requirement 1					
Module 211		5/24/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets					
Requalification Requirement 2					
Module 322		5/26/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets					
Requalification Requirement 3					
Module 452		5/2/2012	Taught By IAMU		
Or Hands On 7.19 Installing meter sets					
7.2 Procedures for abandoning facilities	6/17/2011	6/17/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 471		9/8/2011	Taught By IAMU		
Or Hands On 7.2 Procedures for abandoning facilities		9/8/2011	Taught By IAMU		

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.22 Tapping and stopping polyethylene pipe					Not Taken
Original Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe					
7.23 Vault abandonment	6/17/2011	5/2/2012	5/8/2012	5/8/2015	Current
Requalification Requirement 1					
Module 471		9/8/2011	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
Requalification Requirement 2					
Module 501		5/8/2012	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
7.3 Cathodic protection (general)	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 7.3 Cathodic protection (general)					
7.4 Constructing facilities across streets, railroads, and waterways					Not Taken
Original Requirement 1					
Module 453					
7.5 Operating thermite welder	9/8/2011		9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 7.5 Operating thermite welder		9/8/2011	Taught By IAMU		
7.6 Installing tracer wire	5/2/2012		5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 451		5/2/2012	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		5/2/2012	Taught By IAMU		
Requalification Requirement 2					
Module 452		5/2/2012	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		5/2/2012	Taught By IAMU		
7.7 Installing valves	5/2/2012		5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 451		5/2/2012	Taught By IAMU		
Or Hands On 7.7 Installing valves					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461					
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains	6/15/2011	6/15/2011	9/8/2011	9/8/2016	Current
Requalification Requirement 1					
Module 462		9/8/2011	Taught By IAMU		
Or Hands On 7.9 Maintaining steel and cast iron mains					

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
8.1 Operating backhoe	9/8/2011	2/8/2012	5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 403		5/2/2012	Taught By IAMU		
Or Hands On 8.1 Operating backhoe		5/2/2012	Taught By IAMU		
8.2 Operating trencher	9/8/2011	9/8/2011	5/2/2012	5/2/2015	Current
Hands On 8.2 Operating trencher		5/2/2012	Taught By IAMU		
8.3 Operating boring equipment					Not Taken
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
8.4 Ditch and backfill inspection	9/8/2011	9/8/2011	5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 404		5/2/2012	Taught By IAMU		
Or Hands On 8.4 Ditch and backfill inspection		5/2/2012	Taught By IAMU		
9.1 Metering					Not Taken
Original Requirement 1					
Hands On 9.1 Metering					
9.2 Odorization measurement and control	1/20/2012		1/20/2012	1/20/2017	Current
Requalification Requirement 1					
Module 251		1/20/2012	Taught By IAMU		
Or Hands On 9.2 Odorization measurement and control					
10.10 Inspection, monitoring cathodic protection system	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 10.10 Inspection, monitoring cathodic protection system					
10.1 Cathodic protection	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 10.1 Cathodic protection					
10.2 Internal corrosion	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 10.2 Internal corrosion					
10.3 External corrosion	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 10.3 External corrosion					
10.4 Atmospheric corrosion	5/25/2011	5/25/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 202		9/8/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.5 Coatings	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 10.5 Coatings					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities	9/8/2011		9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities		9/8/2011	Taught By IAMU		
10.8 Installation of cathodic protection (sacrificial anode system)	6/9/2011	6/9/2011	9/8/2011	9/8/2014	Current
Requalification Requirement 1					
Module 431		9/8/2011	Taught By IAMU		
Or Hands On 10.8 Installation of cathodic protection (sacrificial anode system)					
11.2 Operating and maintaining injection odorant system	1/25/2012		1/25/2012	1/25/2017	Current
Requalification Requirement 1					
Module 251		1/20/2012	Taught By IAMU		
Or Hands On 11.2 Operating and maintaining injection odorant system		1/25/2012	Taught By IAMU		
11.3 Testing odorant level	1/25/2012		1/25/2012	1/25/2017	Current
Requalification Requirement 1					
Module 251		1/20/2012	Taught By IAMU		
Or Hands On 11.3 Testing odorant level		1/25/2012	Taught By IAMU		
12.1 Operating valves (including emergency valves), regulators, and	1/20/2012		1/20/2012	1/20/2017	Current
Module 244		1/20/2012	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 2					
Module 511		6/17/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 3					
Module 512		6/17/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					

Manilla Municipal Utilities

Robbie Bandow Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.2 Inspecting pressure regulating and limiting stations	6/17/2011		6/17/2011	6/17/2016	Current
Requalification Requirement 1					
Module 512		6/17/2011	Taught By IAMU		
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	6/17/2011		6/17/2011	6/17/2016	Current
Requalification Requirement 1					
Module 511		6/17/2011	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 101		4/8/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 102		4/8/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 103		4/8/2011	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 104		4/8/2011	Taught By IAMU		
2.1 Documenting materials and installation records	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 402		4/8/2011	Taught By IAMU		
Or Hands On 2.1 Documenting materials and installation records					
2.2 Documenting maximum allowable operating pressure (MAOP)	9/2/2010		9/2/2010	9/2/2015	Current
Requalification Requirement 1					
Module 421		9/2/2010	Taught By IAMU		
2.4 Investigating and documenting line failure	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 462		4/21/2011	Taught By IAMU		
Or Hands On 2.4 Investigating and documenting line failure					
2.5 Accident reporting	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 103		4/8/2011	Taught By IAMU		

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
3.1 Locating facilities using the conductive method	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 402		4/8/2011	Taught By IAMU		
Or Hands On 3.1 Locating facilities using the conductive method		4/8/2011	Taught By IAMU		
3.3 Locating facilities using the inductive method (two persons)	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 402		4/8/2011	Taught By IAMU		
Or Hands On 3.3 Locating facilities using the inductive method (two persons)		4/8/2011	Taught By IAMU		
3.4 Determining depth through triangulation	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 402		4/8/2011	Taught By IAMU		
Or Hands On 3.4 Determining depth through triangulation		4/8/2011	Taught By IAMU		
3.5 System mapping	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 402		4/8/2011	Taught By IAMU		
Or Hands On 3.5 System mapping					
4.1 Personal protective equipment	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 111		4/21/2011	Taught By IAMU		
Or Hands On 4.1 Personal protective equipment					
4.10 Purging safety	9/2/2010		9/2/2010	9/2/2013	Current
Requalification Requirement 1					
Module 422		9/2/2010	Taught By IAMU		
Or Hands On 4.10 Purging safety					
4.11 Pressure testing steel and plastic pipeline	9/2/2010		9/2/2010	9/2/2013	Current
Requalification Requirement 1					
Module 421		9/2/2010	Taught By IAMU		
Or Hands On 4.11 Pressure testing steel and plastic pipeline					
4.12 Abandoning facilities	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 471		4/21/2011	Taught By IAMU		
Or Hands On 4.12 Abandoning facilities					
4.13 Excavation safety	3/22/2011		3/22/2011	3/22/2012	Past Due
Requalification Requirement 1					
Module 404		3/22/2011	Taught By IAMU		
Or Hands On 4.13 Excavation safety					
4.2 Power tool safety	4/20/2011		4/20/2011	4/20/2014	Current
Requalification Requirement 1					
Module 121		4/20/2011	Taught By IAMU		
Or Hands On 4.2 Power tool safety					

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.3 Proper firefighting techniques	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 122		4/21/2011	Taught By IAMU		
Or Hands On 4.3 Proper firefighting techniques					
4.4 Controlling the accidental release of gas	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 131		4/8/2011	Taught By IAMU		
Or Hands On 4.4 Controlling the accidental release of gas					
4.5 Soil subsidence	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 201		4/8/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 202		4/8/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
4.7 Recognizing unsafe meter sets	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 211		4/8/2011	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets					
4.8 Confined space entry (vaults, etc.)	4/21/2011	4/21/2011	5/8/2012	5/8/2013	Current
Requalification Requirement 1					
Module 501		5/8/2012	Taught By IAMU		
Or Hands On 4.8 Confined space entry (vaults, etc.)					
4.9 Job site protection	4/20/2011		4/20/2011	4/20/2014	Current
Requalification Requirement 1					
Module 401		4/20/2011	Taught By IAMU		
Or Hands On 4.9 Job site protection					
5.1 Leak classification	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 221		4/8/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification		4/8/2011	Taught By IAMU		
5.2 Procedures for leak surveys and patrols	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 271		4/8/2011	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols		4/8/2011	Taught By IAMU		
5.3 Combustible gas indicators	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 231		4/8/2011	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators		4/8/2011	Taught By IAMU		

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.4 Electronic gas detectors	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 231		4/8/2011	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors		4/8/2011	Taught By IAMU		
5.6 Bar hole testing and purging	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 261		4/8/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging		4/8/2011	Taught By IAMU		
6.1 Carbon monoxide (CO) testing	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 241		4/8/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing		4/8/2011	Taught By IAMU		
6.2 Investigating leaks	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 272		4/8/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks		4/8/2011	Taught By IAMU		
6.3 Combustion and ventilation air requirements	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 301		4/8/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	4/21/2011		4/21/2011	4/21/2016	Current
Requalification Requirement 1					
Module 311		4/21/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		4/20/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.6 Appliance venting	4/21/2011		4/21/2011	4/21/2016	Current
Requalification Requirement 1					
Module 313		4/21/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	9/2/2010	9/2/2010	4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 321		4/8/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service		4/8/2011	Taught By IAMU		
6.8 Establishing and disconnecting gas	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 322		4/8/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas		4/8/2011	Taught By IAMU		
7.10 Reinforcing steel and plastic mains					Not Taken
Original Requirement 1					
Module 463					

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.1 Pressure testing steel and plastic pipeline	9/2/2010		9/2/2010	9/2/2013	Current
Requalification Requirement 1					
Module 421		9/2/2010	Taught By IAMU		
Or Hands On 7.1 Pressure testing steel and plastic pipeline					
7.12 Plastic pipe joining (mechanical couplings)	4/19/2011		4/19/2011	4/19/2014	Current
Requalification Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)		4/19/2011	Taught By IAMU		
7.13 Recognition of defective material	4/20/2011		4/20/2011	4/20/2014	Current
Requalification Requirement 1					
Module 411		4/20/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material					
Requalification Requirement 2					
Module 412		4/20/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material					
Requalification Requirement 3					
Module 421		9/2/2010	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material					
7.15 Steel pipe joining by mechanical couplings					Not Taken
Original Requirement 1					
Module 412		4/20/2011	Taught By IAMU		
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					
7.16 Damage prevention	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 462		4/21/2011	Taught By IAMU		
Or Hands On 7.16 Damage prevention					
7.17 Application of padding and shielding	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 453		4/21/2011	Taught By IAMU		
Or Hands On 7.17 Application of padding and shielding					
7.18 Replacing emergency valves	4/21/2011		4/21/2011	4/21/2016	Current
Requalification Requirement 1					
Module 441		4/20/2011	Taught By IAMU		
Or Hands On 7.18 Replacing emergency valves					
Requalification Requirement 2					
Module 511		4/21/2011	Taught By IAMU		
Or Hands On 7.18 Replacing emergency valves					

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.19 Installing meter sets	4/8/2011		4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 211		4/8/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		4/8/2011	Taught By IAMU		
Requalification Requirement 2					
Module 322		4/8/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		4/8/2011	Taught By IAMU		
Requalification Requirement 3					
Module 452		4/8/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		4/8/2011	Taught By IAMU		
7.2 Procedures for abandoning facilities	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 471		4/21/2011	Taught By IAMU		
Or Hands On 7.2 Procedures for abandoning facilities					
7.22 Tapping and stopping polyethylene pipe	9/2/2010		9/2/2010	9/2/2015	Current
Requalification Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe		9/2/2010	Taught By IAMU		
7.23 Vault abandonment	4/21/2011	4/21/2011	5/8/2012	5/8/2015	Current
Requalification Requirement 1					
Module 471		4/21/2011	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
Requalification Requirement 2					
Module 501		5/8/2012	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
7.3 Cathodic protection (general)	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 7.3 Cathodic protection (general)					
7.4 Constructing facilities across streets, railroads, and waterways	4/21/2011		4/21/2011	4/21/2014	Current
Requalification Requirement 1					
Module 453		4/21/2011	Taught By IAMU		
Or Hands On 7.4 Constructing facilities across streets, railroads, and waterways					
7.5 Operating thermite welder	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 7.5 Operating thermite welder		4/8/2011	Taught By IAMU		
7.6 Installing tracer wire	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 451		4/8/2011	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire					
Requalification Requirement 2					
Module 452		4/8/2011	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire					

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.7 Installing valves	9/2/2010	9/2/2010	4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 451		4/8/2011	Taught By IAMU		
Or Hands On 7.7 Installing valves					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461		4/21/2011	Taught By IAMU		
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains	4/21/2011		4/21/2011	4/21/2016	Current
Requalification Requirement 1					
Module 462		4/21/2011	Taught By IAMU		
Or Hands On 7.9 Maintaining steel and cast iron mains					
8.1 Operating backhoe	4/20/2011		4/20/2011	4/20/2014	Current
Requalification Requirement 1					
Module 403		4/20/2011	Taught By IAMU		
Or Hands On 8.1 Operating backhoe		9/2/2010	Taught By IAMU		
8.2 Operating trencher	9/2/2010		9/2/2010	9/2/2013	Current
Hands On 8.2 Operating trencher		9/2/2010	Taught By IAMU		
8.3 Operating boring equipment					Not Taken
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
8.4 Ditch and backfill inspection	3/22/2011		3/22/2011	3/22/2014	Current
Requalification Requirement 1					
Module 404		3/22/2011	Taught By IAMU		
Or Hands On 8.4 Ditch and backfill inspection					
9.1 Metering					Not Taken
Original Requirement 1					
Hands On 9.1 Metering					
9.2 Odorization measurement and control	9/2/2010		9/2/2010	9/2/2015	Current
Requalification Requirement 1					
Module 251		9/2/2010	Taught By IAMU		
Or Hands On 9.2 Odorization measurement and control					
10.1 Cathodic protection	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 10.1 Cathodic protection					
10.10 Inspection, monitoring cathodic protection system	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 10.10 Inspection, monitoring cathodic protection system					

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.2 Internal corrosion	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 10.2 Internal corrosion					
10.3 External corrosion	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 10.3 External corrosion					
10.4 Atmospheric corrosion	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 202		4/8/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					
10.5 Coatings	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 10.5 Coatings					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
10.8 Installation of cathodic protection (sacrificial anode system)	4/8/2011		4/8/2011	4/8/2014	Current
Requalification Requirement 1					
Module 431		4/8/2011	Taught By IAMU		
Or Hands On 10.8 Installation of cathodic protection (sacrificial anode system)					
11.2 Operating and maintaining injection odorant system	9/2/2010		9/2/2010	9/2/2015	Current
Requalification Requirement 1					
Module 251		9/2/2010	Taught By IAMU		
Or Hands On 11.2 Operating and maintaining injection odorant system		9/2/2010	Taught By IAMU		
11.3 Testing odorant level	9/2/2010	9/2/2010	4/8/2011	4/8/2016	Current
Requalification Requirement 1					
Module 251		9/2/2010	Taught By IAMU		
Or Hands On 11.3 Testing odorant level		4/8/2011	Taught By IAMU		

Manilla Municipal Utilities

Jeff Blum Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.1 Operating valves (including emergency valves), regulators, and	4/21/2011		4/21/2011	4/21/2016	Current
Module 244		4/20/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 2					
Module 511		4/21/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 3					
Module 512		4/20/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
12.2 Inspecting pressure regulating and limiting stations	4/20/2011		4/20/2011	4/20/2016	Current
Requalification Requirement 1					
Module 512		4/20/2011	Taught By IAMU		
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	4/21/2011		4/21/2011	4/21/2016	Current
Requalification Requirement 1					
Module 511		4/21/2011	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 101		4/9/2010	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 102		4/9/2010	Taught By IAMU		
1.3 Recognizing emergency conditions	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 103		4/9/2010	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 104		4/9/2010	Taught By IAMU		
2.1 Documenting materials and installation records	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 402		4/9/2010	Taught By IAMU		
Or Hands On 2.1 Documenting materials and installation records					

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
2.2 Documenting maximum allowable operating pressure (MAOP)	3/11/2010		3/11/2010	3/11/2015	Current
Requalification Requirement 1					
Module 421		3/11/2010	Taught By IAMU		
2.4 Investigating and documenting line failure					Not Taken
Original Requirement 1					
Module 462					
2.5 Accident reporting	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 103		4/9/2010	Taught By IAMU		
3.1 Locating facilities using the conductive method	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 402		4/9/2010	Taught By IAMU		
Or Hands On 3.1 Locating facilities using the conductive method		4/9/2010	Taught By IAMU		
3.3 Locating facilities using the inductive method (two persons)	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 402		4/9/2010	Taught By IAMU		
Or Hands On 3.3 Locating facilities using the inductive method (two persons)		4/9/2010	Taught By IAMU		
3.4 Determining depth through triangulation	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 402		4/9/2010	Taught By IAMU		
Or Hands On 3.4 Determining depth through triangulation		4/9/2010	Taught By IAMU		
3.5 System mapping	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 402		4/9/2010	Taught By IAMU		
Or Hands On 3.5 System mapping					
4.1 Personal protective equipment					Not Taken
Original Requirement 1					
Module 111					
4.10 Purging safety	3/11/2010		3/11/2010	3/11/2013	Current
Requalification Requirement 1					
Module 422		3/11/2010	Taught By IAMU		
Or Hands On 4.10 Purging safety					
4.11 Pressure testing steel and plastic pipeline	3/11/2010		3/11/2010	3/11/2013	Current
Requalification Requirement 1					
Module 421		3/11/2010	Taught By IAMU		
Or Hands On 4.11 Pressure testing steel and plastic pipeline					
4.12 Abandoning facilities					Not Taken
Original Requirement 1					
Module 471					

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.13 Excavation safety	3/9/2010	3/9/2010	3/22/2011	3/22/2012	Past Due
Requalification Requirement 1					
Module 404		3/22/2011	Taught By IAMU		
Or Hands On 4.13 Excavation safety					
4.2 Power tool safety					Not Taken
Original Requirement 1					
Module 121					
4.3 Proper firefighting techniques	9/1/2010		9/1/2010	9/1/2013	Current
Requalification Requirement 1					
Module 122		9/1/2010	Taught By IAMU		
Or Hands On 4.3 Proper firefighting techniques					
4.4 Controlling the accidental release of gas	4/9/2010		4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 131		4/9/2010	Taught By IAMU		
Or Hands On 4.4 Controlling the accidental release of gas					
4.5 Soil subsidence	4/9/2010		4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 201		4/9/2010	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 202		4/9/2010	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
4.7 Recognizing unsafe meter sets	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 211		4/9/2010	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets					
4.8 Confined space entry (vaults, etc.)					Not Taken
Original Requirement 1					
Module 501					
4.9 Job site protection					Not Taken
Original Requirement 1					
Module 401					
5.1 Leak classification	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 221		4/9/2010	Taught By IAMU		
Or Hands On 5.1 Leak classification		4/9/2010	Taught By IAMU		
5.2 Procedures for leak surveys and patrols	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 271		4/9/2010	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols		4/9/2010	Taught By IAMU		

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.3 Combustible gas indicators	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 231		4/9/2010	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators		4/9/2010	Taught By IAMU		
5.4 Electronic gas detectors	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 231		4/9/2010	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors		4/9/2010	Taught By IAMU		
5.6 Bar hole testing and purging	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 261		4/9/2010	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging		4/9/2010	Taught By IAMU		
6.1 Carbon monoxide (CO) testing	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 241		4/9/2010	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing		4/9/2010	Taught By IAMU		
6.2 Investigating leaks	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 272		4/9/2010	Taught By IAMU		
Or Hands On 6.2 Investigating leaks		4/9/2010	Taught By IAMU		
6.3 Combustion and ventilation air requirements	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 301		4/9/2010	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation					Not Taken
Original Requirement 1					
Module 311					
Original Requirement 2					
Module 324					
6.6 Appliance venting					Not Taken
Original Requirement 1					
Module 313					
6.7 Pressure checks to establish gas service	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 321		4/9/2010	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service		4/9/2010	Taught By IAMU		
6.8 Establishing and disconnecting gas	3/11/2010	3/11/2010	4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 322		4/9/2010	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas		4/9/2010	Taught By IAMU		

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.10 Reinforcing steel and plastic mains					Not Taken
Original Requirement 1					
Module 463					
7.1 Pressure testing steel and plastic pipeline	3/11/2010		3/11/2010	3/11/2013	Current
Requalification Requirement 1					
Module 421		3/11/2010	Taught By IAMU		
Or Hands On 7.1 Pressure testing steel and plastic pipeline					
7.12 Plastic pipe joining (mechanical couplings)	3/11/2010		3/11/2010	3/11/2013	Current
Requalification Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)		3/11/2010	Taught By IAMU		
7.13 Recognition of defective material					Not Taken
Original Requirement 1					
Module 411					
Original Requirement 2					
Module 412					
Original Requirement 3					
Module 421		3/11/2010	Taught By IAMU		
7.15 Steel pipe joining by mechanical couplings					Not Taken
Original Requirement 1					
Module 412					
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					
7.16 Damage prevention					Not Taken
Original Requirement 1					
Module 462					
7.17 Application of padding and shielding					Not Taken
Original Requirement 1					
Module 453					
7.18 Replacing emergency valves					Not Taken
Original Requirement 1					
Module 441					
Original Requirement 2					
Module 511					
Or Hands On 12.3 Inspecting and maintaining key valves		4/9/2010	Taught By IAMU		

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.19 Installing meter sets	3/11/2010	3/11/2010	4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 211		4/9/2010	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		4/9/2010	Taught By IAMU		
Requalification Requirement 2					
Module 322		4/9/2010	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		4/9/2010	Taught By IAMU		
Requalification Requirement 3					
Module 452		4/9/2010	Taught By IAMU		
Or Hands On 7.19 Installing meter sets		4/9/2010	Taught By IAMU		
7.2 Procedures for abandoning facilities					Not Taken
Original Requirement 1					
Module 471					
7.22 Tapping and stopping polyethylene pipe	3/11/2010		3/11/2010	3/11/2015	Current
Requalification Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe		3/11/2010	Taught By IAMU		
7.23 Vault abandonment					Not Taken
Original Requirement 1					
Module 471					
Original Requirement 2					
Module 501					
7.3 Cathodic protection (general)	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 7.3 Cathodic protection (general)					
7.4 Constructing facilities across streets, railroads, and waterways					Not Taken
Original Requirement 1					
Module 453					
7.5 Operating thermite welder	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 7.5 Operating thermite welder		4/9/2010	Taught By IAMU		
7.6 Installing tracer wire	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 451		4/9/2010	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		4/9/2010	Taught By IAMU		
Requalification Requirement 2					
Module 452		4/9/2010	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		4/9/2010	Taught By IAMU		
7.7 Installing valves	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 451		4/9/2010	Taught By IAMU		
Or Hands On 7.7 Installing valves					

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461					
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains					Not Taken
Original Requirement 1					
Module 462					
8.1 Operating backhoe	3/11/2010		3/11/2010	3/11/2013	Current
Requalification Requirement 1					
Module 403		2/17/2010	Taught By IAMU		
Or Hands On 8.1 Operating backhoe		3/11/2010	Taught By IAMU		
8.2 Operating trencher	3/11/2010		3/11/2010	3/11/2013	Current
Hands On 8.2 Operating trencher		3/11/2010	Taught By IAMU		
8.3 Operating boring equipment					Not Taken
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
8.4 Ditch and backfill inspection	3/9/2010	3/9/2010	3/22/2011	3/22/2014	Current
Requalification Requirement 1					
Module 404		3/22/2011	Taught By IAMU		
Or Hands On 8.4 Ditch and backfill inspection					
9.1 Metering					Not Taken
Original Requirement 1					
Hands On 9.1 Metering					
9.2 Odorization measurement and control	3/11/2010	3/11/2010	3/22/2011	3/22/2016	Current
Requalification Requirement 1					
Module 251		3/22/2011	Taught By IAMU		
Or Hands On 9.2 Odorization measurement and control					
10.10 Inspection, monitoring cathodic protection system	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 10.10 Inspection, monitoring cathodic protection system					
10.1 Cathodic protection	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 10.1 Cathodic protection					
10.2 Internal corrosion	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 10.2 Internal corrosion					

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.3 External corrosion	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 10.3 External corrosion					
10.4 Atmospheric corrosion	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 202		4/9/2010	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					
10.5 Coatings	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 10.5 Coatings					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
10.8 Installation of cathodic protection (sacrificial anode system)	3/11/2010	3/11/2010	4/9/2010	4/9/2013	Current
Requalification Requirement 1					
Module 431		4/9/2010	Taught By IAMU		
Or Hands On 10.8 Installation of cathodic protection (sacrificial anode system)					
11.2 Operating and maintaining injection odorant system					Not Taken
Original Requirement 1					
Module 251		3/22/2011	Taught By IAMU		
Original Requirement 2					
Hands On 11.2 Operating and maintaining injection odorant system					
11.3 Testing odorant level	3/11/2010	4/9/2010	3/22/2011	3/22/2016	Current
Requalification Requirement 1					
Module 251		3/22/2011	Taught By IAMU		
Or Hands On 11.3 Testing odorant level		4/9/2010	Taught By IAMU		
12.1 Operating valves (including emergency valves), regulators, and					Not Taken
Original Requirement 1					
Module 244					
Original Requirement 2					
Module 511					
Original Requirement 3					
Module 512					

Manilla Municipal Utilities

Bob Macumber Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.2 Inspecting pressure regulating and limiting stations					Not Taken
Original Requirement 1					
Module 512					
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	4/9/2010		4/9/2010	4/9/2015	Current
Requalification Requirement 1					
Module 511					
Or Hands On 12.3 Inspecting and maintaining key valves		4/9/2010	Taught By IAMU		

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
1.1 Characteristics and hazards of natural gas	5/24/2011		5/24/2011	5/24/2016	Current
Requalification Requirement 1					
Module 101		5/24/2011	Taught By IAMU		
1.2 Potential ignition sources: indoor and outdoor	5/24/2011		5/24/2011	5/24/2016	Current
Requalification Requirement 1					
Module 102		5/24/2011	Taught By IAMU		
1.3 Recognizing emergency conditions	5/24/2011	5/24/2011	5/2/2012	5/2/2017	Current
Requalification Requirement 1					
Module 103		5/2/2012	Taught By IAMU		
1.4 Recognizing and reporting natural gas leaks	5/24/2011		5/24/2011	5/24/2016	Current
Requalification Requirement 1					
Module 104		5/24/2011	Taught By IAMU		
2.1 Documenting materials and installation records	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Or Hands On 2.1 Documenting materials and installation records					
2.2 Documenting maximum allowable operating pressure (MAOP)	6/9/2011		6/9/2011	6/9/2016	Current
Requalification Requirement 1					
Module 421		6/9/2011	Taught By IAMU		
2.4 Investigating and documenting line failure	6/15/2011		6/15/2011	6/15/2014	Current
Requalification Requirement 1					
Module 462		6/15/2011	Taught By IAMU		
Or Hands On 2.4 Investigating and documenting line failure					
2.5 Accident reporting	5/24/2011	5/24/2011	5/2/2012	5/2/2017	Current
Requalification Requirement 1					
Module 103		5/2/2012	Taught By IAMU		

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
3.1 Locating facilities using the conductive method					Not Taken
Original Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Original Requirement 2					
Hands On 3.1 Locating facilities using the conductive method					
3.3 Locating facilities using the inductive method (two persons)					Not Taken
Original Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Original Requirement 2					
Hands On 3.3 Locating facilities using the inductive method (two persons)					
3.4 Determining depth through triangulation					Not Taken
Original Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Original Requirement 2					
Hands On 3.4 Determining depth through triangulation					
3.5 System mapping	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 402		5/26/2011	Taught By IAMU		
Or Hands On 3.5 System mapping					
4.1 Personal protective equipment	1/18/2012		1/18/2012	1/18/2015	Current
Requalification Requirement 1					
Module 111		1/18/2012	Taught By IAMU		
Or Hands On 4.1 Personal protective equipment					
4.10 Purging safety	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 422		6/9/2011	Taught By IAMU		
Or Hands On 4.10 Purging safety					
4.11 Pressure testing steel and plastic pipeline	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 421		6/9/2011	Taught By IAMU		
Or Hands On 4.11 Pressure testing steel and plastic pipeline					
4.12 Abandoning facilities	6/17/2011		6/17/2011	6/17/2014	Current
Requalification Requirement 1					
Module 471		6/17/2011	Taught By IAMU		
Or Hands On 4.12 Abandoning facilities					
4.13 Excavation safety	5/2/2012		5/2/2012	5/2/2013	Current
Requalification Requirement 1					
Module 404		5/2/2012	Taught By IAMU		
Or Hands On 4.13 Excavation safety		5/2/2012	Taught By IAMU		

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
4.2 Power tool safety					Not Taken
Original Requirement 1					
Module 121					
4.3 Proper firefighting techniques					Not Taken
Original Requirement 1					
Module 122					
4.4 Controlling the accidental release of gas	5/25/2011	5/25/2011	5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 131		5/2/2012	Taught By IAMU		
Or Hands On 4.4 Controlling the accidental release of gas		5/2/2012	Taught By IAMU		
4.5 Soil subsidence	5/25/2011		5/25/2011	5/25/2014	Current
Requalification Requirement 1					
Module 201		5/25/2011	Taught By IAMU		
Or Hands On 4.5 Soil subsidence					
4.6 Atmospheric corrosion	5/25/2011		5/25/2011	5/25/2014	Current
Requalification Requirement 1					
Module 202		5/25/2011	Taught By IAMU		
Or Hands On 4.6 Atmospheric corrosion					
4.7 Recognizing unsafe meter sets	5/24/2011		5/24/2011	5/24/2014	Current
Requalification Requirement 1					
Module 211		5/24/2011	Taught By IAMU		
Or Hands On 4.7 Recognizing unsafe meter sets					
4.8 Confined space entry (vaults, etc.)	6/17/2011	6/17/2011	5/2/2012	5/2/2013	Current
Requalification Requirement 1					
Module 501		5/2/2012	Taught By IAMU		
Or Hands On 4.8 Confined space entry (vaults, etc.)		5/2/2012	Taught By IAMU		
4.9 Job site protection	5/26/2011		5/26/2011	5/26/2014	Current
Requalification Requirement 1					
Module 401		5/26/2011	Taught By IAMU		
Or Hands On 4.9 Job site protection					
5.1 Leak classification	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 221		5/25/2011	Taught By IAMU		
Or Hands On 5.1 Leak classification					
5.2 Procedures for leak surveys and patrols	5/24/2011		5/24/2011	5/24/2016	Current
Requalification Requirement 1					
Module 271		5/24/2011	Taught By IAMU		
Or Hands On 5.2 Procedures for leak surveys and patrols					
5.3 Combustible gas indicators	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 231		5/25/2011	Taught By IAMU		
Or Hands On 5.3 Combustible gas indicators					

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
5.4 Electronic gas detectors	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 231		5/25/2011	Taught By IAMU		
Or Hands On 5.4 Electronic gas detectors					
5.6 Bar hole testing and purging	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 261		5/25/2011	Taught By IAMU		
Or Hands On 5.6 Bar hole testing and purging					
6.1 Carbon monoxide (CO) testing	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 241		5/25/2011	Taught By IAMU		
Or Hands On 6.1 Carbon monoxide (CO) testing					
6.2 Investigating leaks	5/25/2011		5/25/2011	5/25/2016	Current
Requalification Requirement 1					
Module 272		5/25/2011	Taught By IAMU		
Or Hands On 6.2 Investigating leaks					
6.3 Combustion and ventilation air requirements	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 301		5/26/2011	Taught By IAMU		
Or Hands On 6.3 Combustion and ventilation air requirements					
6.4 Pilot light operation	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 311		5/26/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
Requalification Requirement 2					
Module 324		5/26/2011	Taught By IAMU		
Or Hands On 6.4 Pilot light operation					
6.6 Appliance venting	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 313		5/26/2011	Taught By IAMU		
Or Hands On 6.6 Appliance venting					
6.7 Pressure checks to establish gas service	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 321		5/26/2011	Taught By IAMU		
Or Hands On 6.7 Pressure checks to establish gas service					
6.8 Establishing and disconnecting gas	5/26/2011		5/26/2011	5/26/2016	Current
Requalification Requirement 1					
Module 322		5/26/2011	Taught By IAMU		
Or Hands On 6.8 Establishing and disconnecting gas					
7.10 Reinforcing steel and plastic mains					Not Taken
Original Requirement 1					
Module 463					

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.1 Pressure testing steel and plastic pipeline	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 421		6/9/2011	Taught By IAMU		
Or Hands On 7.1 Pressure testing steel and plastic pipeline					
7.12 Plastic pipe joining (mechanical couplings)	1/25/2012	1/25/2012	5/1/2012	5/1/2015	Current
Requalification Requirement 1					
Hands On 7.12 Plastic pipe joining (mechanical couplings)		5/1/2012	Taught By IAMU		
7.13 Recognition of defective material	6/9/2011	6/9/2011	5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 411		5/2/2012	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/2/2012	Taught By IAMU		
Requalification Requirement 2					
Module 412		6/9/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/2/2012	Taught By IAMU		
Requalification Requirement 3					
Module 421		6/9/2011	Taught By IAMU		
Or Hands On 7.13 Recognition of defective material		5/2/2012	Taught By IAMU		
7.15 Steel pipe joining by mechanical couplings					Not Taken
Original Requirement 1					
Module 412		6/9/2011	Taught By IAMU		
Original Requirement 2					
Hands On 7.15 Steel pipe joining by mechanical couplings					
7.16 Damage prevention	6/15/2011		6/15/2011	6/15/2014	Current
Requalification Requirement 1					
Module 462		6/15/2011	Taught By IAMU		
Or Hands On 7.16 Damage prevention					
7.17 Application of padding and shielding					Not Taken
Original Requirement 1					
Module 453					
7.18 Replacing emergency valves					Not Taken
Original Requirement 1					
Module 441					
Original Requirement 2					
Module 511		6/17/2011	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.19 Installing meter sets	5/2/2012		5/2/2012	5/2/2017	Current
Requalification Requirement 1					
Module 211		5/24/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets					
Requalification Requirement 2					
Module 322		5/26/2011	Taught By IAMU		
Or Hands On 7.19 Installing meter sets					
Requalification Requirement 3					
Module 452		5/2/2012	Taught By IAMU		
Or Hands On 7.19 Installing meter sets					
7.2 Procedures for abandoning facilities	6/17/2011		6/17/2011	6/17/2014	Current
Requalification Requirement 1					
Module 471		6/17/2011	Taught By IAMU		
Or Hands On 7.2 Procedures for abandoning facilities					
7.22 Tapping and stopping polyethylene pipe					Not Taken
Original Requirement 1					
Hands On 7.22 Tapping and stopping polyethylene pipe					
7.23 Vault abandonment	6/17/2011	6/17/2011	5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 471		6/17/2011	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
Requalification Requirement 2					
Module 501		5/2/2012	Taught By IAMU		
Or Hands On 7.23 Vault abandonment					
7.3 Cathodic protection (general)	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Or Hands On 7.3 Cathodic protection (general)					
7.4 Constructing facilities across streets, railroads, and waterways					Not Taken
Original Requirement 1					
Module 453					
7.5 Operating thermite welder					Not Taken
Module 431		6/9/2011	Taught By IAMU		
Original Requirement 2					
Hands On 7.5 Operating thermite welder					
7.6 Installing tracer wire	5/2/2012		5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 451		5/2/2012	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		5/2/2012	Taught By IAMU		
Requalification Requirement 2					
Module 452		5/2/2012	Taught By IAMU		
Or Hands On 7.6 Installing tracer wire		5/2/2012	Taught By IAMU		

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
7.7 Installing valves	5/2/2012		5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 451		5/2/2012	Taught By IAMU		
Or Hands On 7.7 Installing valves					
7.8 Steel and cast iron repair fittings					Not Taken
Original Requirement 1					
Module 461					
Original Requirement 2					
Hands On 7.8 Steel and cast iron repair fittings					
7.9 Maintaining steel and cast iron mains	6/15/2011		6/15/2011	6/15/2016	Current
Requalification Requirement 1					
Module 462		6/15/2011	Taught By IAMU		
Or Hands On 7.9 Maintaining steel and cast iron mains					
8.1 Operating backhoe	5/2/2012		5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 403		5/2/2012	Taught By IAMU		
Or Hands On 8.1 Operating backhoe		5/2/2012	Taught By IAMU		
8.2 Operating trencher	5/2/2012		5/2/2012	5/2/2015	Current
Hands On 8.2 Operating trencher		5/2/2012	Taught By IAMU		
8.3 Operating boring equipment					Not Taken
Original Requirement 1					
Hands On 8.3 Operating boring equipment					
8.4 Ditch and backfill inspection	5/2/2012		5/2/2012	5/2/2015	Current
Requalification Requirement 1					
Module 404		5/2/2012	Taught By IAMU		
Or Hands On 8.4 Ditch and backfill inspection		5/2/2012	Taught By IAMU		
9.1 Metering					Not Taken
Original Requirement 1					
Hands On 9.1 Metering					
9.2 Odorization measurement and control	1/20/2012		1/20/2012	1/20/2017	Current
Requalification Requirement 1					
Module 251		1/20/2012	Taught By IAMU		
Or Hands On 9.2 Odorization measurement and control					
10.1 Cathodic protection	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Or Hands On 10.1 Cathodic protection					
10.10 Inspection, monitoring cathodic protection system	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Or Hands On 10.10 Inspection, monitoring cathodic protection system					

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
10.2 Internal corrosion	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Or Hands On 10.2 Internal corrosion					
10.3 External corrosion	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Or Hands On 10.3 External corrosion					
10.4 Atmospheric corrosion	5/25/2011		5/25/2011	5/25/2014	Current
Requalification Requirement 1					
Module 202		5/25/2011	Taught By IAMU		
Or Hands On 10.4 Atmospheric corrosion					
10.5 Coatings	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Or Hands On 10.5 Coatings					
10.6 Holiday detection (coating inspection)					Not Taken
Original Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Original Requirement 2					
Hands On 10.6 Holiday detection (coating inspection)					
10.7 Painting and jacketing above ground facilities					Not Taken
Original Requirement 1					
Hands On 10.7 Painting and jacketing above ground facilities					
10.8 Installation of cathodic protection (sacrificial anode system)	6/9/2011		6/9/2011	6/9/2014	Current
Requalification Requirement 1					
Module 431		6/9/2011	Taught By IAMU		
Or Hands On 10.8 Installation of cathodic protection (sacrificial anode system)					
11.2 Operating and maintaining injection odorant system	1/25/2012		1/25/2012	1/25/2017	Current
Requalification Requirement 1					
Module 251		1/20/2012	Taught By IAMU		
Or Hands On 11.2 Operating and maintaining injection odorant system		1/25/2012	Taught By IAMU		
11.3 Testing odorant level	1/25/2012		1/25/2012	1/25/2017	Current
Requalification Requirement 1					
Module 251		1/20/2012	Taught By IAMU		
Or Hands On 11.3 Testing odorant level		1/25/2012	Taught By IAMU		

Manilla Municipal Utilities

Neil Schumann Operator Manilla

Tasks Required	Original Date	Prior Completion	Last Completed	Required By	Status
12.1 Operating valves (including emergency valves), regulators, and	1/20/2012		1/20/2012	1/20/2017	Current
Module 244		1/20/2012	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 2					
Module 511		6/17/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
Requalification Requirement 3					
Module 512		6/17/2011	Taught By IAMU		
Or Hands On 12.1 Operating valves (including emergency valves), regulators, and relief valves					
12.2 Inspecting pressure regulating and limiting stations	6/17/2011		6/17/2011	6/17/2016	Current
Requalification Requirement 1					
Module 512		6/17/2011	Taught By IAMU		
Or Hands On 12.2 Inspecting pressure regulating and limiting stations					
12.3 Inspecting and maintaining key valves	6/17/2011		6/17/2011	6/17/2016	Current
Requalification Requirement 1					
Module 511		6/17/2011	Taught By IAMU		
Or Hands On 12.3 Inspecting and maintaining key valves					